

STATE ESTIMATION FOR MISO NON-LINEAR SYSTEMS IN CONTROLLER CANONICAL FORM

BENOÎT SCHWALLER ^{a,*}, DENIS ENSMINGER ^a, BIRGITTA DRESP-LANGLEY ^b, JOSÉ RAGOT ^c

^aLaboratory of Inventive Design (LGECO), EA 3938 INSA Strasbourg
University of Strasbourg, 24 Boulevard de la Victoire, 67000 Strasbourg, France
e-mail: schwaller@convergence.u-strasbg.fr

^bLaboratory of Engineering, Informatics and Imaging (ICUBE)
University of Strasbourg, UMR 7357 CNRS, 2 Rue Boussingault, 67000 Strasbourg, France
e-mail: birgitta.dresp@unistra.fr

^cNancy Research Center in Automatic (CRAN), UMR 7039
University of Lorraine, CNRS, 2 Avenue de Haye, 54516 Vandœuvre lès Nancy, France
e-mail: Jose.Ragot@ensem.inpl-nancy.fr

We propose a new observer where the model, decomposed in generalized canonical form of regulation described by Fliess, is dissociated from the part assuring error correction. The obtained stable exact estimates give direct access to state variables in the form of successive derivatives. The dynamic response of the observer converges exponentially, as long as the non-linearities are locally of Lipschitz type. In this case, we demonstrate that a quadratic Lyapunov function provides a number of inequalities which guarantee at least local stability. A synthesis of gains is proposed, independent of the observation time scale. Simulations of a Duffing system and a Lorenz strange attractor illustrate theoretical developments.

Keywords: non-linear systems, state observers, continuous time.

1. Introduction

State observers have been intensely exploited since Luenberger (1966) to model, control or identify linear and non-linear systems, including the studies of Krener and Isidori (1983), Zeitz (1987) or Zheng *et al.* (2009), related to non-linear systems transformable into canonical form. The key idea in such approaches is to produce approximate measures of non-linearity of order 1, as in extended Luenberger observers (ELOs) (Ciccarella *et al.*, 1993). Approximations of non-linearities in canonical form (which results in an ELO) have already been suggested by Bestle and Zeitz (1983), and this approach can be extended to higher order approximations (Röbenack and Lynch, 2004). An observer using partial non-linear observer canonical form (POCF) (Röbenack and Lynch, 2006) has weaker observability and integrability

existence conditions than the well-established non-linear observer canonical form (OCF). Non-linear sliding mode observers use a quasi-Newtonian approach, applied after pseudo-derivations of the output signal (Veluvolu *et al.*, 2007; Efimov and Fridman, 2011). State observers using extended Kalman filters (EKFs) provide another method of transforming non-linear systems (Boker and Khalil, 2013; Rauh *et al.*, 2013). Finding an appropriate method for parameter synthesis remains one of the major difficulties with state observers for non-linear systems. Tornambè (1992), Farza *et al.* (2011) and Mobki *et al.* (2015) proposed high-gain state observers to deal with this problem. High-gain state observers reduce observation errors for a range of predetermined amplitudes or fluctuations by making the observations independent of parameters. The weak point of this method is its sensitivity to noise and uncertainty.

In network identification and encryption, observers with delays are used to synchronize chaotic oscillators,

*Corresponding author

as shown in several studies (Ghosh *et al.*, 2010; Martínez-Guerra *et al.*, 2011). Noise and uncertainty are not critical factors in such a context. This can be very different in the case of industrial processes, as shown in a recent study by Bodizs *et al.* (2011), where the performances of observers using an ELO, EKF or integrated Kalman filters (IKFs) are compared. The influence of noise and uncertainty on these observer types was emphasized, with more reliable results produced by ELOs, which permit exact state reconstruction of highly perturbed systems. For PI and ELO observer classes, Söffker *et al.* (1995) as well as Morales and Ramirez (2002) demonstrated a compensation effect on measurement errors. Chen *et al.* (2011) and Bouraoui *et al.* (2015) addressed the problem of uncertainty of non-linear models. One way of overcoming the problem of parametric uncertainty is to use adaptive observers (Tyukina *et al.*, 2013; Alma and Darouach, 2014; Farza *et al.*, 2014), in the particular case where the measurements are only available at discrete instants and have disturbances. Another approach (Mazenc and Dinh, 2014; Thabet *et al.*, 2014) consists in defining interval observers. Modeling observer systems by Takagi–Sugeno decomposition (Bezzaoucha *et al.*, 2013; Guerra *et al.*, 2015) is another possibility, as is the use of models with symmetries and semi-invariants (Menini and Tornambè, 2011).

In a precedent study (Schwaller *et al.*, 2013), we dealt with a specific class of non-linear SISO (single input single output) systems, described by Fliess (1990), called the generalized controller canonical form (Zeitz, 1985). In principle, every uniformly observable (Hermann and Krener, 1977; Gauthier and Bornard, 1981) smooth enough SISO system with vector input $\underline{u}(t)$ and output $y(t)$ can be transformed into this normal form, and extended to the following MISO (multiple input single output) systems (Glumineau and López-Morales, 1999):

$$\dot{\underline{x}}(t) = \underline{A} \underline{x}(t) + \underline{f}(t), \tag{1a}$$

$$y(t) = \underline{c}^T \underline{x}(t) + \Phi [\underline{U}(t)], \tag{1b}$$

$$\underline{A} = \delta_{ij}, \quad j = i + 1, \quad i = 1, \dots, n - 1, \tag{1c}$$

$$\underline{c}^T = [c_1 \quad \dots \quad c_n], \tag{1d}$$

$$\underline{f}^T(t) = [0 \quad \dots \quad 0 \quad \Psi [\underline{x}(t), \underline{U}(t)]], \tag{1e}$$

with the following definitions:

n : order of differential equation,

m : number of independent inputs,

$u_{ji}(t)$: $(i - 1)$ -th temporal derivative of the input j ($u_{j1}(t) \dots u_{ji}(t)$),

$\underline{u}_i(t)^T$: vector $[u_{1i}(t), \dots, u_{mi}(t)]$ of m derivatives of degree $i - 1$ of inputs,

$\underline{U}(t)$: $n \times m$ input matrix,

$x_i(t)$: $(i - 1)$ -th temporal derivative of $x_1(t)$,

$\underline{x}^T(t)$: state vector $[x_1(t), \dots, x_n(t)]$,

\underline{c} : vector of model parameters,

$\Psi [\underline{x}(t), \underline{U}(t)]$: scalar non-linear C^1 function,

$\Phi [\underline{U}(t)]$: function of inputs $\underline{U}(t)$,

$y(t)$: output variable,

$\theta \leq n$: index of last coefficient $c_i \neq 0$,

\underline{A} : $n \times n$ matrix whose last line is zero.

We previously limited the field of application of the proposed observer because of the decomposition of the function $\Psi(t)$ into two distinct parts which had the effect of limiting the functions $\Psi(t)$ to the third order, and necessitated the integration of all or part of the latter. It can also be noted that the proposed limiting conditions of stability could prove restrictive, above all for second order systems, because of the big increase of the Lipschitz constant in such cases. We propose here to overcome these difficulties by modifying the observer structure, and by scaling differently the differential equation of the physical system. This will have the effect of relaxing the limiting stability conditions of the observer and to increase the field of application, to cover the same domain as that proposed by Gauthier *et al.* (1992), extended to MISO systems described by (1). The proposed approach is completely deterministic and the only requirement is that the non-linear functions be at least C^1 , and their time derivatives $d \Psi [\underline{x}(t), \underline{U}(t)] / dt$ be globally Lipschitz in $\underline{x}(t)$ (Raghavan and Hedrick, 1994). This assumption can be relaxed so that the derivatives are only locally Lipschitz, or can be transformed adequately, for many practical applications (Düffing, van der Pol, Bernoulli equations, inverted penduli, non-linear friction models for DC motors or valve actuators, bioreactors, strange attractors, etc.).

The second aim is to dissociate the state estimations used to reconstruct the functions $\Psi(t)$ of error corrections, in order to increase their insensitivity to noise and to counteract this well-known fault of high gain observers. Conserving the structure PI of the precedent observer, one models the external perturbations of the model and keeps a unity static gain to the dynamics of the convergence of the ensemble.

Let us fix at present the cut-off frequency $1/T_o$ of the observer, and also the pulse $\omega_o = 2\pi/T_o$, in order to transform the representation of the state of the physical system. This has the considerable advantage of giving a normalized space that is independent of the temporal dynamics of the system, allowing in Section 2.3 to control the conditions of stability of the observer and presenting in Section 2.4 a systematic algebraic approach for the synthesis of the gains of the observer.

Definition 1. This gives the following scaled state representation:

$$\dot{\underline{x}}(\tau) = \underline{A} \underline{x}(\tau) + \underline{f}(\tau), \tag{2a}$$

$$y(\tau) = \tilde{c}^T \underline{x}(\tau) + \Phi[\underline{U}(\tau)], \quad (2b)$$

$$\tilde{c}^T = [\tilde{c}_1 \quad \dots \quad \tilde{c}_n], \quad (2c)$$

$$\underline{f}(\tau)^T = \left[0 \quad \dots \quad 0 \quad \tilde{\Psi}[\underline{x}(\tau), \underline{U}(\tau)] \right], \quad (2d)$$

with

$$\tau = \omega_o t, \quad \dot{x}_n(t) = \dot{x}_n(\tau) \omega_o^n, \quad (3a)$$

$$u_{ij}(t) = u_{ij}(\tau) \omega_o^{i-1}, \quad x_i(t) = x_i(\tau) \omega_o^{i-1}, \quad (3b)$$

$$\tilde{c}_i = c_i \omega_o^{i-1}, \quad i = 1, \dots, n. \quad (3c)$$

Such a normalized representation is possible in time (Gille *et al.*, 1988) as well as in the frequency domain (Gißler and Schmid, 1990) for linear systems.

$\underline{f}(\tau)$ is a vector of dimension n . Equations (3) define time dilation or retraction of the state representation and its new parameters, without changing the pattern of the signal $x_i(\tau)$. For the function Ψ , this is translated by the relation of changing the following scale representation:

$$\Psi[\underline{x}(t), \underline{U}(t)] = \omega_o^n \tilde{\Psi}[\underline{x}(\tau), \underline{U}(\tau)]. \quad (4)$$

The function $\tilde{\Psi}[\underline{x}(\tau), \underline{U}(\tau)]$ is obtained by replacing every state or command variable by the corresponding one in (3) and dividing everything by ω_o^n (an example given in Section 3, cf. (58) and (60)). In the rest of the study, in Section 2.1 we define the observer structure and the role of its different components. In Section 2.2 we study its dynamics and search for the differential equation defining the physical-observer system state distances. In Section 2.3 we demonstrate the stability of the state estimates and the exponentially convergent character of the estimates. In Section 2.4 we obtain the synthesis of the gains of the observer and exploit the transformation defined in (2). Finally, in Section 3, two different simulations illustrate the developments of Section 2.

2. Structure and synthesis of the observer

2.1. System and observer definitions. To begin with, let us isolate the component $x_1(\tau)$ of (2b), which will subsequently serve to determine the observation error. To obtain $y_1(\tau)$, the estimation of variable $x_1(\tau)$, three cases are distinguished.

For $\theta = 1$, we have

$$y_1(\tau) = \frac{y(\tau) - \Phi[\underline{U}(\tau)]}{\tilde{c}_1}. \quad (5)$$

For $\theta = 2$, it becomes

$$\dot{y}_1(\tau) = -\frac{\tilde{c}_1}{\tilde{c}_2} y_1(\tau) + \frac{y(\tau) - \Phi[\underline{U}(\tau)]}{\tilde{c}_2}. \quad (6)$$

In the most general case, where $\theta > 2$, $y(\tau) - \Phi[\underline{U}(\tau)]$ is filtered by

$$\dot{\underline{w}}(\tau) = \underline{K} \underline{w}(\tau) + \underline{k} [y(\tau) - \Phi[\underline{U}(\tau)]], \quad (7a)$$

$$\underline{K} = \begin{bmatrix} 0 & 1 & 0 & \dots \\ 0 & 0 & 1 & \dots \\ \dots & 0 & 0 & 1 \\ -\frac{\tilde{c}_1}{\tilde{c}_\theta} & \dots & \dots & -\frac{\tilde{c}_{\theta-1}}{\tilde{c}_\theta} \end{bmatrix}, \quad (7b)$$

$$\underline{w}(\tau)^T = [y_1(\tau) \quad \dots \quad y_{\theta-1}(\tau)], \quad \underline{w}(0) = \underline{0}, \quad (7c)$$

$$\underline{k}^T = [0 \quad \dots \quad 0 \quad 1/\tilde{c}_\theta]. \quad (7d)$$

To analyze the effect of the filter, we rewrite (2b) in scalar form, ignoring $\tilde{c}_{\theta+1} \dots \tilde{c}_n$, which are all zero,

$$\frac{y(\tau) - \Phi[\underline{U}(\tau)]}{\tilde{c}_\theta} = x_\theta(\tau) + \sum_{i=1}^{\theta-1} \frac{\tilde{c}_i}{\tilde{c}_\theta} x_i(\tau). \quad (8)$$

Substituting (8) in the $(\theta - 1)$ -th component of (7a), we get

$$\tilde{c}_\theta \dot{y}_{\theta-1}(\tau) + \sum_{i=1}^{\theta-1} \tilde{c}_i y_i(\tau) = \sum_{i=1}^{\theta} \tilde{c}_i x_i(\tau), \quad (9)$$

whose Laplace transform gives

$$y_1(s) [\tilde{c}_1 + \dots \tilde{c}_\theta s^{\theta-1}] = x_1(s) [\tilde{c}_1 + \dots \tilde{c}_\theta s^{\theta-1}]. \quad (10)$$

The transfer function $y_1(s)/x_1(s)$ is equal to 1; then $x_1(\tau) = y_1(\tau)$, and more generally $x_i(\tau) = y_i(\tau)$ for $i = 1, \dots, \theta$. In practice, if $y(t)$ is noisy, only $y_1(t)$ will be really usable and will serve to determine the observation error.

Definition 2. To generate state estimates $\underline{v}(\tau)$ for the system (2), a PI observer structure is defined with

$$\dot{\tilde{\underline{x}}}(\tau) = \underline{A} \tilde{\underline{x}}(\tau) + \tilde{\underline{f}}(\tau) + \tilde{\underline{h}} \Delta y_1(\tau), \quad (11a)$$

$$\dot{\hat{\underline{x}}}(\tau) = \underline{A} \hat{\underline{x}}(\tau) + \hat{\underline{A}} \tilde{\underline{x}}(\tau) + \hat{\underline{h}} \Delta y_1(\tau), \quad (11b)$$

$$\Delta y_1(\tau) = x_1(\tau) - \hat{x}_1(\tau), \quad (11c)$$

$$\tilde{\underline{f}}(\tau)^T = \left[0 \quad \dots \quad 0 \quad \tilde{f}(\tau) \right], \quad (11d)$$

$$\dot{I}_0(\tau) = h_0 \Delta y_1(\tau), \quad (11e)$$

$$\tilde{f}(\tau) = I_0(\tau) + \tilde{\Psi}[\underline{v}(\tau), \underline{U}(\tau)], \quad (11f)$$

$$\tilde{\underline{x}}(\tau)^T = [\tilde{x}_2(\tau) \ \dots \ \tilde{x}_n(\tau)], \tag{11g}$$

$$\hat{\underline{x}}(\tau)^T = [\hat{x}_1(\tau) \ \dots \ \hat{x}_{n-1}(\tau)], \tag{11h}$$

$$\underline{v}(\tau)^T = [\hat{x}_1(\tau) \ \tilde{\underline{x}}(\tau)^T] \tag{11i}$$

$$\hat{\underline{x}}(0) = \tilde{\underline{x}}(0) = \underline{0}, \quad I_0(0) = 0, \tag{11j}$$

$$\tilde{\underline{h}}^T = [0^T \ h_1], \tag{11k}$$

$$\hat{\underline{h}}^T = [h_n \ \dots \ h_2], \tag{11l}$$

$$\underline{h}^T = [\hat{\underline{h}}^T, \ h_1], \tag{11m}$$

$$\underline{A} = \delta_{ij}, \quad j = i + 1, \quad i = 1, \dots, n - 1, \tag{11n}$$

$$\tilde{\underline{A}} = \begin{bmatrix} 0 & \dots & \dots & 0 \\ \vdots & \ddots & \dots & \vdots \\ \vdots & & 0 & 0 \\ 0 & \dots & 0 & 1 \end{bmatrix}, \tag{11o}$$

with $\tilde{\underline{x}}(\tau)$ (11g) and $\hat{\underline{x}}(\tau)$ (11h) as two distinct state vectors of dimension $n - 1$, coupled using the matrices \underline{A} (11n) and $\tilde{\underline{A}}$ (11o) of dimension $(n - 1) \times (n - 1)$. The vectors $\tilde{\underline{h}}$ and $\hat{\underline{h}}$ are also of dimension $n - 1$. The matrix \underline{A} is constructed using the Kronecker operator, which puts the upper diagonal at 1. Figure 1 illustrates the functional diagram of such an observer of the third order.

The augmented vector $\underline{v}(\tau)$ ((11i), (11h)) is used as an estimate of $\underline{x}(\tau)$ and as a variable of the function $\tilde{\Psi}[\underline{v}(\tau), \underline{U}(\tau)]$ (11f). The state $\hat{\underline{x}}(\tau)$ (11b) is an observer exploiting the observation error $\Delta y_1(\tau)$ (11c) via the gains h_i (11m), serving to correct the state distances between the system and its observer. In Fig. 1, for example, we have

$$\begin{aligned} \hat{\underline{x}}(\tau)^T &= [\hat{x}_1(\tau) \ \hat{x}_2(\tau)], \\ \tilde{\underline{x}}(\tau)^T &= [\tilde{x}_2(\tau) \ \tilde{x}_3(\tau)], \\ \underline{v}(\tau)^T &= [\hat{x}_1(\tau) \ \tilde{x}_2(\tau) \ \tilde{x}_3(\tau)], \\ \hat{\underline{h}}^T &= [h_3 \ h_2], \\ \tilde{\underline{h}}^T &= [0 \ h_1]. \end{aligned}$$

The choice of using two state variables $\hat{\underline{x}}(\tau)$ and $\tilde{\underline{x}}(\tau)$ is motivated by $n - 1$ successive integrations of $\dot{\tilde{x}}_n(\tau)$, in which no re-injection error is involved. This allows an increase in the robustness of the estimates to the measurement noise, which in general affects the variable $y_1(\tau)$. One thus overcomes a common weak point of high gain observations, i.e., their sensitivity to measurement noise. The second advantage comes from the non-linear function $\tilde{\Psi}[\underline{v}(\tau), \underline{U}(\tau)]$, which is no longer subjected to the restrictive conditions used by Schwaller et al. (2013), and covers the ensemble of the systems described by Fliess (1990). The vector $\tilde{\underline{f}}(\tau)$ (11d), of dimension $n - 1$, compensates the effects of $\underline{f}(\tau)$ and of possible external exogenous disturbance of (1) using the integral

component $I_0(\tau)$ (11e). Note that at the second order, for a gain $h_0 = 0$ inhibiting the integrator I_0 , the observer becomes similar to that proposed by Gauthier et al. (1992) for an SISO system.

2.2. Characterization of the observer error dynamics. Now we try to characterise the dynamics of observations by seeking a differential equation linking the two state variables to the observation error $\Delta y_1(\tau)$ and to its successive derivatives. The error $\Delta y_1(\tau)$ and its successive time derivatives, inaccessible to the measurement, are the state vector of system/observer errors. We want to ultimately determine the state equations of these errors. We will introduce all the necessary notation to put it in the matrix form of the observation error. To this end, we deduce from (11b) the recursive relation used to generate estimates for successive state characteristics $\hat{x}_i(\tau)$ as functions of the output errors:

$$\begin{aligned} \hat{x}_{i+1}(\tau) &= \dot{\hat{x}}_i(\tau) - h_{n-i+1} \Delta y_1(\tau), \\ i &= 1, \dots, n - 2. \end{aligned} \tag{12}$$

To simplify the expressions for successive derivatives of the observer state $\hat{x}_1(\tau)$, we introduce

$$\tilde{\underline{x}}(\tau)^T = [\tilde{x}_1(\tau) \ \dots \ \tilde{x}_n(\tau)], \tag{13}$$

whose components are defined by

$$\tilde{x}_{i+1}(\tau) = \frac{d^{(i)} \hat{x}_1(\tau)}{d\tau^{(i)}}, \quad i = 1, \dots, n - 1, \tag{14a}$$

$$\tilde{x}_1(\tau) = \hat{x}_1(\tau). \tag{14b}$$

Consequently

$$\dot{\tilde{x}}_i(\tau) = \tilde{x}_{i+1}(\tau), \quad i = 1, \dots, n - 1. \tag{15}$$

Using (14) and (15), it is possible to re-write the observation error $\Delta y_1(\tau)$ (11c) and its successive derivatives:

$$\Delta y_1(\tau) = x_1(\tau) - \tilde{x}_1(\tau), \tag{16a}$$

$$\Delta y_{i+1}(\tau) = \frac{d^{(i)} \Delta y_1(\tau)}{d\tau^{(i)}}, \quad i = 1, \dots, n - 1, \tag{16b}$$

We deduce from this that

$$\Delta y_{i+1}(\tau) = \Delta \dot{y}_i(\tau), \quad i = 1, \dots, n - 1, \tag{17a}$$

$$\Delta y_i(\tau) = x_i(\tau) - \tilde{x}_i(\tau), \quad i = 1, \dots, n, \tag{17b}$$

$$\Delta \underline{y}(\tau)^T = [\Delta y_1(\tau) \ \dots \ \Delta y_n(\tau)]. \tag{17c}$$

Now we exploit these new definitions to describe the observer dynamics. We replace (14) in (12) for a given index i given and derive this new relation with respect to time using (15) and (17a). The expression $\dot{\hat{x}}_i(\tau)$ thus




Fig. 1. Third order observer.

obtained may be equated with the same term obtained with (12) for index $i + 1$. This operation, carried out successively up to order $n - 1$, gives

$$\dot{\hat{x}}_{n-1}(\tau) = \tilde{x}_n(\tau) - \sum_{i=2}^{n-1} h_{i+1} \Delta y_i(\tau). \quad (18)$$

Comparing (18) with (11b) to row $n - 1$, we obtain

$$\dot{\hat{x}}_{n-1}(\tau) = \tilde{x}_n(\tau) + h_2 \Delta y_1(\tau), \quad (19)$$

which, replaced in (18), gives

$$\tilde{x}_n(\tau) = \hat{x}_n(\tau) - \sum_{i=2}^n h_i \Delta y_{i-1}(\tau). \quad (20)$$

The linear dependence of $\tilde{x}_n(\tau)$, $\hat{x}_n(\tau)$ and $\Delta y_1(\tau)$ allows the Laplace transform of (20) and its successive integrations and, because of (15), makes it possible to determine the general form of $\tilde{x}_i(s)$:

$$\tilde{x}_i(s) = \hat{x}_i(s) - f_i(s), \quad i = 2, \dots, n, \quad (21a)$$

$$f_i(s) = \Delta y_1(s) \sum_{j=2}^n h_j s^k, \quad (21b)$$

$$k = i + j - n - 2.$$

The inverse Laplace transform of (21a) is written as

$$\tilde{x}_i(\tau) = \hat{x}_i(\tau) - \mathcal{L}^{-1} \{f_i(s)\}. \quad (22)$$

The second term on the right-hand side of (22) tends towards 0 if the vector $\Delta y_1(\tau) \rightarrow \underline{0}$ as $\tau \rightarrow \infty$.

The derivative of (20) can be compared with that of row $n - 1$ from (11a), which gives

$$\dot{\tilde{x}}_n(\tau) = f(\tau) + \sum_{i=1}^n h_i \Delta y_i(\tau). \quad (23)$$

We now try to specify the dynamics of the output distance between the physical system and the observer. To do this, we calculate the distance between the component n of the state vector $\dot{x}(\tau)$ (2a) and $\dot{\tilde{x}}_n(\tau)$ (23). Thus

$$\Delta \dot{y}_n(\tau) = \dot{x}_n(\tau) - \dot{\tilde{x}}_n(\tau) \quad (24a)$$

$$= \Delta \tilde{\Psi}(\tau) - I_0(\tau) - \sum_{i=1}^n h_i \Delta y_i(\tau), \quad (24b)$$

with

$$\begin{aligned} \Delta \tilde{\Psi}(\tau) &= \tilde{\Psi} [x(\tau), U(\tau)] \\ &\quad - \tilde{\Psi} [\tilde{x}(\tau), \Delta y(\tau), U(\tau)]. \end{aligned} \quad (25)$$

The distance $\Delta \tilde{\Psi}(\tau)$ (25), of type C^1 , is obtained from the non-linear functions $\tilde{\Psi} [x(\tau), U(\tau)]$ and $\tilde{\Psi} [\tilde{x}(\tau), U(\tau)]$ (11f), which are also of type C^1 .

It is now useful to put (24b) in matrix form of dimension $n \times n$, using (17a), (24b) and (11d):

$$\Delta \dot{y}(\tau) = \tilde{A} \Delta y(\tau) + \Delta \underline{f}(\tau), \quad (26a)$$

$$\Delta \underline{f}(\tau) = \underline{f}(\tau) - \tilde{f}(\tau), \quad (26b)$$

$$\tilde{A} = \begin{bmatrix} 0 & 1 & 0 & \dots \\ 0 & 0 & 1 & \dots \\ \dots & 0 & 0 & 1 \\ -h_1 & \dots & \dots & -h_n \end{bmatrix}. \quad (26c)$$

In (26b), the term $\tilde{f}(\tau)$ (11f) includes $I_0(\tau)$ (11e). This leads to a last derivation on (24b), to obtain the final state representation of the output distances $\Delta y_1(\tau)$. For that purpose, it is necessary to define the states and the supplementary distances as follows:

$$\underline{u}_{n+1}(\tau) = \dot{u}_n(\tau), \quad (27a)$$

$$x_{n+1}(\tau) = \dot{x}_n(\tau), \quad (27b)$$

$$\tilde{x}_{n+1}(\tau) = \dot{\tilde{x}}_n(\tau), \quad (27c)$$

$$\tilde{\tilde{x}}_{n+1}(\tau) = \dot{\tilde{\tilde{x}}}_n(\tau), \quad (27d)$$

$$\Delta y_{n+1}(\tau) = \Delta \dot{y}_n(\tau) \quad (27e)$$

to subsequently place the matrix and the augmented vectors:

$$\underline{U}_a(\tau)^T = \left[\underline{U}(\tau)^T \quad \underline{u}_{n+1}(\tau) \right], \quad (28a)$$

$$\underline{x}_a(\tau)^T = \left[\underline{x}(\tau)^T \quad x_{n+1}(\tau) \right], \quad (28b)$$

$$\tilde{\underline{x}}_a(\tau)^T = \left[\tilde{\underline{x}}(\tau)^T \quad \tilde{x}_{n+1}(\tau) \right], \quad (28c)$$

$$v_a(\tau)^T = \left[\underline{v}(\tau)^T \quad \tilde{x}_{n+1}(\tau) \right], \quad (28d)$$

$$\Delta \underline{y}_a(\tau)^T = \left[\Delta \underline{y}(\tau)^T \quad \Delta y_{n+1}(\tau) \right], \quad (28e)$$

$$= \underline{x}_a(\tau)^T - \tilde{\underline{x}}_a(\tau)^T, \quad (28f)$$

and separately calculate the time derivative of (25):

$$\Delta \dot{\Psi}(t) = \omega_o^{n+1} \Delta \dot{\Psi}(\tau), \quad (29a)$$

$$\begin{aligned} \Delta \dot{\Psi}(\tau) &= \dot{\Psi}[\underline{x}_a(\tau), \underline{U}_a(\tau)] \\ &\quad - \dot{\Psi}[\tilde{\underline{x}}_a(\tau), \Delta \underline{y}_a(\tau), \underline{U}_a(\tau)]. \end{aligned} \quad (29b)$$

The time derivative of (24b), using (11e), (17a), (27), (28) and (29), is written in matrix form to obtain the final state representation of the differential equation driving the output error $\Delta y_1(\tau)$:

$$\Delta \dot{y}_a(\tau) = \underline{A}_a \Delta \underline{y}_a(\tau) + \Delta \dot{\Psi}(\tau), \quad (30a)$$

$$\Delta \dot{\Psi}(\tau)^T = \left[\underline{0}^T \quad \Delta \dot{\Psi}(\tau) \right], \quad (30b)$$

$$\underline{A}_a = \underline{G}_a + \underline{H}_a, \quad (30c)$$

$$\underline{G}_a = \delta_{ij}, \quad j = i + 1, \quad i = 1, \dots, n, \quad (30d)$$

$$\underline{H}_a^T = \left[\underline{0} \quad \dots \quad \underline{0} \quad -\underline{h}_a \right], \quad (30e)$$

$$\underline{h}_a^T = \left[h_0 \quad \dots \quad h_n \right]. \quad (30f)$$

In (30d), \underline{G}_a is of dimension $(n + 1) \times (n + 1)$. Its $(n + 1)$ -th row is zero. The structure of the matrices (30c)–(30e) makes it possible to deduce the unit static gain of the observer. The system (30) describing the dynamics of convergence of the observation errors is close to that which has previously been proposed (Schwaller et al., 2013), and the conditioning of the system proposed in (3) may be used with advantage.

In (29b) and (30b), we assume that $\dot{\Psi}[\underline{x}_a(\tau), \underline{U}_a(\tau)]$ is a non-linear system function Lipschitz in $\underline{x}_a(\tau)$ and uniformly bounded in $\underline{U}_a(\tau)$ in an invariant set, with a Lipschitz constant L , i.e.,

$$\| \Delta \dot{\Psi}(\tau) \| \leq L \| \underline{x}_a(\tau) - \tilde{\underline{x}}_a(\tau) \| \quad (31a)$$

$$\leq L \| \Delta \underline{y}_a(\tau) \|. \quad (31b)$$

Applying the Lipschitz inequality to (29) yields reduction of $\Delta \underline{y}_a(\tau)$, the number of useful variables to characterise the perturbing difference $\Delta \dot{\Psi}(\tau)$. For many systems, if functions $\dot{\Psi}(\tau)$ are not globally of the Lipschitz type, they can be locally transformed into the Lipschitz type.

2.3. Convergence of state observations. The observer convergence analysis consists in proving the globally asymptotic evolution of the error estimate for state reconstruction. In other words, regardless of the initial conditions, the observer state is to converge toward the state of the physical system. This leads to the following two theorems.

Theorem 1. *Let us consider an MISO system decomposable as described in (2), for which the observer structure (11) is used. If the system function $\dot{\Psi}[\underline{x}_a(\tau), \underline{U}_a(\tau)]$ is locally of the Lipschitz type in $\underline{x}_a(\tau)$ and uniformly bounded in $\underline{U}_a(\tau)$ in an invariant set, with a Lipschitz constant L (31), then the observer (11) will be locally stable if the gains h_i in \underline{A}_a (30c) can be adjusted so that they satisfy the following conditions:*

$$h_i \geq \frac{1}{2\sigma\phi_{i+1}} + 2\sigma L^2 \left(\frac{\lambda^2}{\phi_{i+1}} + \frac{\phi_{i+1}}{4} \right), \quad (32a)$$

$$h_n \geq \frac{1 + 2\sigma\phi_n}{4\sigma\phi_{n+1}} + \sigma L^2 \left(\phi_{n+1} + \sum_{j=1}^n \frac{\phi_j^2}{4\phi_{n+1}} \right), \quad (32b)$$

$$\lambda > 0, \quad \phi_i > 0, \quad i = 0, \dots, n - 1. \quad (32c)$$

If the system function $\dot{\Psi}[\underline{x}_a(\tau), \underline{U}_a(\tau)]$ is globally of the Lipschitz type and if the gains h_i satisfy (32), then the observer (11) will be globally asymptotically stable.

Proof. The proof of Theorem 1 can be achieved by proving the stability of (30a) using an appropriate positive Lyapunov function, like the following quadratic one:

$$V_n(\tau) = \Delta \underline{y}_a(\tau)^T \underline{P} \Delta \underline{y}_a(\tau), \quad (33a)$$

$$\underline{P} = \begin{bmatrix} \lambda & 0 & \dots & 0 \\ 0 & \lambda & \dots & 0 \\ \vdots & & \ddots & \vdots \\ \phi_1 & \phi_2 & \dots & \phi_{n+1} \end{bmatrix}. \quad (33b)$$

\underline{P} is an $(n + 1) \times (n + 1)$ lower triangular matrix defined as positive and satisfying the Sylvester criteria, with (33b). The proof of convergence is linked to the study of the sign of the derivative of the candidate for a Lyapunov function. This is obtained after time differentiation of (33a), and after substituting (30a) in the result obtained for the terms $\Delta \dot{y}_a(\tau)$:

$$\dot{V}_n(\tau) = \Delta \underline{y}_a(\tau)^T \underline{Q} \Delta \underline{y}_a(\tau) + N(\tau), \quad (34a)$$

$$\underline{Q} = \underline{A}_a^T \underline{P} + \underline{P} \underline{A}_a, \quad (34b)$$

$$N(\tau) = \Delta \underline{y}_a(\tau)^T \underline{S} \Delta \dot{\Psi}(\tau), \quad (34c)$$

$$\underline{S} = \underline{P} + \underline{P}^T. \quad (34d)$$

$N(\tau)$ describes the influence of the non-linear functions on state distances. Calculating the diagonal coefficients

of (33a), we get a lower triangular matrix \underline{Q} of dimension $(n+1) \times (n+1)$. The coefficients of the principal diagonal are written as

$$q_{ii} = \begin{cases} -h_{i-1} \phi_i, & i = 1, \dots, n, \\ \phi_n - 2 \phi_{n+1} h_n, & i = n + 1. \end{cases} \quad (35)$$

If the diagonal coefficients q_{ii} are negative, the Sylvester criterion for semi-negativity is satisfied, and the successive minors of \underline{Q} will be of opposite signs, ensuring the semi-negativity of the first term on the right-hand side of (34a). Verifying the sign of the second member on the right-hand side of (34a) involves increasing $N(\tau)$ using the Schwartz and Lipschitz inequalities (31b) :

$$N(\tau) \leq \| \Delta \underline{y}_a(\tau)^T \underline{S} \Delta \dot{\underline{\Psi}}(\tau) \| \quad (36a)$$

$$\leq \| \Delta \underline{y}_a(\tau)^T \underline{S} \| \| \Delta \dot{\underline{\Psi}}(\tau) \| \quad (36b)$$

$$\leq \| \Delta \underline{y}_a(\tau)^T \underline{S} \| L \| \Delta \underline{y}_a(\tau) \|. \quad (36c)$$

To determine the sign of $\dot{V}_n(\tau)$, we apply the inequality:

$$\| \underline{a}(\tau)^T \underline{b}(\tau) \| \leq \frac{\sigma \underline{a}(\tau)^T \underline{a}(\tau)}{2} + \frac{\underline{b}(\tau)^T \underline{b}(\tau)}{2\sigma}, \quad (37a)$$

$$\sigma > 0 \quad (37b)$$

to (36c) to obtain the desired increase in $N(\tau)$:

$$N(\tau) \leq \Delta \underline{y}_a(\tau)^T \underline{R} \Delta \underline{y}_a(\tau), \quad (38a)$$

$$\underline{R} = \frac{\sigma L^2}{2} \underline{S} \underline{S} + \frac{\underline{I}}{2\sigma}. \quad (38b)$$

Here (38a) yields a positive lower triangular matrix \underline{R} (38b) of dimension $(n+1) \times (n+1)$, whose diagonal elements are written as

$$r_{ii} = \begin{cases} 2\sigma L^2 \left(\lambda^2 + \frac{\phi_i^2}{4} \right) + \frac{1}{2\sigma}, & i = 1, \dots, n, \\ \sigma L^2 \left(2\phi_i^2 + \frac{1}{2} \sum_{j=1}^n \phi_j^2 \right) + \frac{1}{2\sigma}, & i = n + 1. \end{cases} \quad (39)$$

The inequality (38a) yields (34a):

$$\dot{V}_n(\tau) \leq \Delta \underline{y}_a(\tau)^T \underline{M} \Delta \underline{y}_a(\tau), \quad (40a)$$

$$\underline{M} = \underline{Q} + \underline{R}. \quad (40b)$$

With a negative function $\dot{V}_n(\tau)$, adding together the diagonal terms (35) and (39), and imposing $\underline{Q} + \underline{R} \leq 0$, we obtain the conditions (32). The sum $\underline{Q} + \underline{R}$ yields a lower triangular matrix that satisfies Sylvester criteria of semi-negativity if the n inequalities (32) are satisfied. Then, if $\Delta \dot{\underline{\Psi}}(\tau)$ (25) is Lipschitz (31), $\dot{V}_n(\tau)$ is semi-negative and (30a) is globally and asymptotically stable. In (22), it is supposed that the functions $\mathcal{L}^{-1} \{f_i(s)\} \rightarrow 0$ as $t \rightarrow \infty$. Because of this, one can say that $\underline{v}(\tau) \rightarrow \underline{x}(\tau)$ as $t \rightarrow \infty$. The observer is locally stable if (31) is locally Lipschitz. ■

The stability conditions (32) are less restrictive than those previously proposed (Schwaller *et al.*, 2013). In fact, the pulse ω_0 is no longer involved, and the freedom of choice to fix the parameters λ and ϕ as a function of values that can take the constant of Lipschitz L helps to find a combination where the stability is demonstrated from the gains h_i obtained by any method of parameter synthesis. The value of the constant L is generally strongly dependent on the pulse ω_o , of the type of non-linearity encountered and of the order n of the physical system.

One way of choosing the parameters ϕ_i of \underline{P} (33b) could be

$$\phi_i = \phi_{n+1}^{n+1-i}. \quad (41)$$

Thus, the number of parameters to fix in the matrix \underline{P} is limited to λ and ϕ_{n+1} .

Theorem 2. *If Theorem 1 can be applied to the system (1) that one wishes to observe, then (11) will be exponentially convergent:*

$$V_n(\tau) \leq V_n(0) \exp\left(\frac{\mu}{\nu} \tau\right), \quad \frac{\mu}{\nu} < 0. \quad (42)$$

Proof. Taking into account the definition (33a), we have

$$V_n(\tau) \leq \nu \| \Delta \underline{y}_a(\tau) \|^2, \quad \nu > \phi_{n+1}. \quad (43)$$

From the inequality (40a), we deduce

$$\frac{\dot{V}_n(\tau)}{V_n(\tau)} \leq \frac{\mu \| \Delta \underline{y}_a(\tau) \|^2}{V_n(\tau)}, \quad (44a)$$

$$\max(r_{ii} + q_{ii}) < \mu < 0, \quad i = 1, \dots, n + 1. \quad (44b)$$

Bounding (44a) with (43) gives

$$\frac{\dot{V}_n(\tau)}{V_n(\tau)} \leq \frac{\mu \| \Delta \underline{y}_a(\tau) \|^2}{\nu \| \Delta \underline{y}_a(\tau) \|^2}, \quad (45)$$

which is reduced to

$$\frac{d V_n(\tau)}{V_n(\tau)} \leq \frac{\mu}{\nu} d\tau. \quad (46)$$

We deduce (42) through integration, which indicates the exponential convergence. ■

2.4. Synthesis of observer parameters. We wish to perform a synthesis of the gains \underline{h}_a of (30f) guaranteeing the convergence of the observer. To do this, we consider the term $\Delta \dot{\underline{\Psi}}(\tau)$ of (30a) as the perturbing input of a linear system with constant parameters of the transfer function $1/D(s)$. The transfer function in the Laplace domain of (30a) is written as

$$\frac{\Delta y_1(s)}{s \Delta \dot{\underline{\Psi}}(s)} = \frac{1}{D(s)}, \quad (47a)$$

$$D(s) = s^{n+1} + h_n s^n + \dots + h_1 s + h_0. \quad (47b)$$

We now seek a group of parameters h_a (30f) which fit the stability conditions (32). Given (29), we note that $\tilde{\Psi}(\tau)$ is directly affected by ω_o , and therefore by $\|\tilde{\Psi}(\tau)\|$.

Applying the Lipschitz assumption (31), the constant L is dependent on ω_o . L influences the squared conditions in (32). By using ω_o to keep L small, it is possible to ensure that the stability conditions remain independent of the system's time-scale, and to arbitrarily define the gains h_i . One simple way to do this is to choose a polynomial with multiple poles:

$$D(s) = (s + \nu)^{n+1} \tag{48a}$$

$$= \sum_{i=0}^{n+1} h_k s^k, \quad k = n + 1 - i, \tag{48b}$$

$$h_k = \nu^i \frac{(n + 1)!}{i! k!} \tag{48c}$$

The value of the pole $0 < \nu \leq 1$ allows us to somewhat weight the binomial coefficients (48c) and to approach the limiting stability conditions. Anyway, the pulse choice ω_o is predominant for the observer function. If the gains thus obtained satisfy the conditions in (32), then the response of the observer converges towards that of the system. The group of parameters is uniquely determined by the order n , and the speed of observer convergence is defined by the choice pulse ω_o and the multiple pole ν .

3. Simulations

To illustrate Section 2, we propose two different examples: a non-linear Duffing system (Gille *et al.*, 1988) (Section 3.1), a mass-spring system and a Lorenz strange attractor (Section 3.2), used as a model in meteorology to predict the convection of air masses (Lorenz, 1963).

3.1. Duffing system. It is written in controller canonical form as follows:

$$\dot{x}_2(t) = \Psi [\underline{x}(t), \underline{u}(t)], \tag{49a}$$

$$\dot{x}_1(t) = x_2(t), \tag{49b}$$

$$y(t) = x_1(t) + \eta(t), \quad n = 2, \tag{49c}$$

$$\Psi [\underline{x}(t), \underline{u}(t)] = - a_1 \ell_1(t) x_1(t) - a_2 x_2(t) + b_1 u_{11}(t) + b_2 u_{12}(t), \tag{49d}$$

$$\ell_1(t) = 1 + a_3 x_1(t)^2, \tag{49e}$$

$$\underline{x}(t) = [x_1(t) \quad x_2(t)], \tag{49f}$$

$$\underline{u}(t) = [u_{11}(t) \quad u_{12}(t)], \tag{49g}$$

with the parameters

$$a_1 = 157.91, \quad a_2 = 2 \pi, \quad a_3 = 0.4, \tag{50a}$$

$$b_1 = 100, \quad b_2 = 10. \tag{50b}$$

The measured output $y(t)$ is the juxtaposition of the system output $x_1(t)$ of the Duffing and a white noise with limited bandwidth $\eta(t)$. The signal-to-noise ratio is 10. The input $u_{11}(t)$, subsequently exploitable by the observer, is defined in terms of

$$u_{11}(t) = \begin{cases} 1, & 0 \leq t < 2s, \\ 0, & t \geq 2s. \end{cases} \tag{51}$$

The input $u_{12}(t)$ is white noise with a limited bandwidth amplitude of ± 1 , considered non-measurable, which will produce a correlated noise on the vector $\underline{x}(t)$ of the system. The normalized representation of (49) is written as follows:

$$\dot{x}_2(\tau) = \tilde{\Psi} [\underline{x}(\tau), \underline{u}(\tau)], \tag{52a}$$

$$\dot{x}_1(\tau) = x_2(\tau), \tag{52b}$$

$$y(\tau) = x_1(\tau), \quad f_o = \frac{1}{T_o} = 4 \text{ Hz}, \tag{52c}$$

$$\begin{aligned} \tilde{\Psi} [\underline{x}(\tau), \underline{u}(\tau)] = & - \frac{a_1}{\omega_o^2} \ell_1(\tau) x_1(\tau) - \frac{a_2}{\omega_o} x_2(\tau) \\ & + \frac{b_1}{\omega_o^2} u_{11}(\tau) + \frac{b_2}{\omega_o^2} u_{12}(\tau), \end{aligned} \tag{52d}$$

$$\ell_1(\tau) = 1 + a_3 x_1(\tau)^2, \tag{52e}$$

$$\underline{x}(\tau) = [x_1(\tau) \quad x_2(\tau)], \tag{52f}$$

$$\underline{u}(\tau) = [u_{11}(\tau) \quad u_{12}(\tau)]. \tag{52g}$$

The observer (11) applied to (52) is written as follows:

$$\dot{\hat{x}}_1(\tau) = \check{x}_2(\tau) + h_2 \Delta y_1(\tau), \tag{53a}$$

$$\begin{aligned} \dot{\check{x}}_2(\tau) = & I_0(\tau) + h_1 \Delta y_1(\tau) \\ & + \tilde{\Psi} [\underline{v}(\tau), u_{11}(t)], \end{aligned} \tag{53b}$$

$$\dot{I}_0(\tau) = h_0 \Delta y_1(\tau), \tag{53c}$$

$$\Delta y_1(\tau) = y(\tau) - \hat{x}_1(\tau), \tag{53d}$$

$$\begin{aligned} \tilde{\Psi} [\underline{v}(\tau), u_{11}(\tau)] = & - \frac{a_1}{\omega_o^2} \hat{\ell}_1(\tau) \hat{x}_1(\tau), \\ & - \frac{a_2}{\omega_o} \check{x}_2(\tau) + \frac{b_1}{\omega_o^2} u_{11}(\tau), \end{aligned} \tag{53e}$$

$$\hat{\ell}_1(\tau) = 1 + a_3 \hat{x}_1(\tau)^2, \tag{53f}$$

$$\underline{v}(\tau) = [\check{x}_2(\tau) \quad \hat{x}_1(\tau)]. \tag{53g}$$

The initial conditions of the system are $x_1(0) = x_2(0) = 0$. Those of the observer are $I_0(0) = \check{x}_2(0) = 0$, $\hat{x}_1(0) = 1$. Using $\tilde{\Psi} [\underline{x}(\tau), \underline{u}(\tau)]$ (52d) and $\tilde{\Psi} [\underline{v}(0), u_{11}(0)]$ (53e), it is possible to form $\Delta \tilde{\Psi}(\tau)$ (29) and to calculate its temporal derivative. Using (52) and (53), we determine $\Delta \underline{y}_a(\tau)^T = \underline{x}_a(\tau)^T - \tilde{\underline{x}}_a(0)^T$ (27), (28). All this will allow calculating the ratio $|\tilde{\Psi}(\tau)| / \|\underline{x}_a(\tau)\|$, illustrated in Fig. 2(a), and to set the Lipschitz constant $L = 0.3$.




Fig. 2. Observation of a Duffing system: $|\hat{\Psi}(\tau)|/\|x_a(\tau)\|$ (a), observer response $\hat{x}_1(\tau)$ (part 1) (b), observer response $\hat{x}_1(\tau)$ (part 2) (c), observer reconstruction of $x_2(\tau)$ (d).

Setting parameters $\lambda = 1/8$, $\sigma = 1$ and $\phi_3 = 2$ (32c) and using (41), we obtain $\phi_2 = 2$, $\phi_1 = 4$, and get the matrix \underline{P} (33). The limiting conditions (32) for observer stability are given by

$$h_0 \geq 0.427, \quad h_1 \geq 0.403, \quad h_2 \geq 1.03. \quad (54)$$

Using (48) with $n = 2$, $\nu = 1$, the gains h_i are set as follows:

$$\underline{h}_a^T = [1 \quad 3 \quad 3]. \quad (55)$$

This set of parameters satisfies the conditions in (54).

Figures 2(b) and (c) show the observer response $\hat{x}_1(\tau)$ to the measured output $y(t)$ on the one hand, and to the theoretical system response $x_1(\tau)$ on the other, which is free of noise ($u_{12}(\tau) = \eta(\tau) = 0$). Figure 2(d) illustrates the response of the variable $\check{x}_2(\tau)$ to the theoretical system response $x_2(\tau)$, which is free

of noise. These observations converge nicely and prove robust to measurement noise.

3.2. Lorenz strange attractor. To complement Section 2, consider a model of convection of air masses, used in meteorology (Lorenz, 1963), described by the state representation:

$$\dot{z}_x(t) = \sigma z_y(t) - \sigma z_x(t), \quad (56a)$$

$$\dot{z}_y(t) = -z_y(t) + \rho z_x(t) - z_x(t) z_z(t), \quad (56b)$$

$$\dot{z}_z(t) = -\beta z_z(t) + z_x(t) z_y(t), \quad (56c)$$

$$y(t) = z_x(t), \quad (56d)$$

$$\underline{z}(t) = [z_x(t), z_y(t), z_z(t)]. \quad (56e)$$

We choose parameters and the following initial

conditions:

$$\beta = 1, \quad \sigma = 4, \quad \rho = 20, \quad (57a)$$

$$z_x(0) = z_y(0) = z_z(0) = 10, \quad (57b)$$

as has been proposed for the first strange attractor which describes chaotic oscillations. Its representation transformed in the canonical form of regulation is the following:

$$\dot{x}_3(t) = \Psi [\underline{x}(t)], \quad (58a)$$

$$\begin{aligned} \Psi [\underline{x}(t)] = & - (1 + \sigma + \beta) x_3(t) - \beta (1 + \sigma) x_2(t) \\ & + \beta \sigma (\rho - 1) x_1(t) - x_1(t)^2 x_2(t) \\ & - \sigma x_1(t)^3, \\ & + \frac{x_2(t) x_3(t) + (1 + \sigma) x_2(t)^2}{x_1(t)}, \end{aligned} \quad (58b)$$

$$\dot{x}_2(t) = x_3(t), \quad (58c)$$

$$\dot{x}_1(t) = x_2(t), \quad (58d)$$

$$y(t) = x_1(t), \quad n = 3, \quad (58e)$$

with (58b) as the non-linear Ψ function of the system. The latter may or may not be dependent on \underline{U} . The only constraint to fulfill is the existence of a Lipschitz type distance $\Delta \tilde{\Psi}$ (31). The transformation system (58) linking to the initial state is given by

$$z_x(t) = x_1(t), \quad (59a)$$

$$z_y(t) = x_1(t) + \left(\frac{1}{\sigma}\right) x_2(t), \quad (59b)$$

$$z_z(t) = \rho - 1 - \left(1 + \frac{1}{\sigma}\right) \frac{x_2(t)}{x_1(t)} - \left(\frac{1}{\sigma}\right) \frac{x_3(t)}{x_1(t)}. \quad (59c)$$

Figure 3(a) illustrates its well known behaviour, in the plane $z_x z_z$. Parameterized in this way, it possesses its characteristic natural frequency around 1 Hz. It is interesting to note that $x_1(t)$ passes near zero during a few brief transitions, making observation possible with a function $\tilde{\Psi}$ such as (58b). The normalized notation of (58) is the following:

$$\dot{x}_3(\tau) = \tilde{\Psi} [\underline{x}(\tau)], \quad (60a)$$

$$\begin{aligned} \tilde{\Psi} [\underline{x}(\tau)] = & - \frac{1 + \sigma + \beta}{\omega_o} x_3(\tau) - \frac{\beta (1 + \sigma)}{\omega_o^2} x_2(\tau) \\ & + \frac{\beta \sigma (\rho - 1)}{\omega_o^3} x_1(\tau) - \frac{x_1(\tau)^2 x_2(\tau)}{\omega_o^2} \\ & - \frac{\sigma x_1(\tau)^3}{\omega_o^3} \end{aligned}$$

$$+ \frac{x_2(\tau) x_3(\tau) + \frac{1 + \sigma}{\omega_o} x_2(\tau)^2}{x_1(\tau)}, \quad (60b)$$

$$\dot{x}_2(\tau) = x_3(\tau), \quad (60c)$$

$$\dot{x}_1(\tau) = x_2(\tau), \quad (60d)$$

$$y(\tau) = x_1(\tau), \quad f_o = \frac{1}{T_o} = 2.5 \text{ Hz}. \quad (60e)$$

It is evident that the previous type of observer (Schwaller et al., 2013) cannot be used in this case, because the function $\tilde{\Psi}$ is not decomposable into the form

$$\tilde{\Psi} [\underline{x}(\tau)] = f_1(x_1(\tau), x_2(\tau), \underline{u}(\tau)) + \dot{f}_2(x_1(\tau), x_2(\tau)),$$

as has been proposed. The system of normalized transformation linking (60) the initial state space is given by

$$z_x(\tau) = x_1(\tau), \quad (61a)$$

$$z_y(\tau) = x_1(\tau) + \left(\frac{\omega_o}{\sigma}\right) x_2(\tau), \quad (61b)$$

$$\begin{aligned} z_z(\tau) = & \rho - 1 - \left(\omega_o + \frac{\omega_o}{\sigma}\right) \frac{x_2(\tau)}{x_1(\tau)} \\ & - \left(\frac{\omega_o^2}{\sigma}\right) \frac{x_3(\tau)}{x_1(\tau)}. \end{aligned} \quad (61c)$$

Inverting (61) and knowing $z_x(\tau)$, $z_y(\tau)$, $z_z(\tau)$ (56), it is possible to reconstruct $\underline{x}_a(\tau)$. Calculating the numerical derivation of $\tilde{\Psi}(\tau)$ (60b), it is subsequently possible to determine the most pessimistic Lipschitz constant $L = 0.15$ (Fig. 3(b)) after 40 s of the test. The observer structure, illustrated by Fig. 1 (11), takes the following form:

$$\dot{\hat{x}}_1(\tau) = \hat{x}_2(\tau) + h_3 \Delta y_1(\tau), \quad (62a)$$

$$\dot{\hat{x}}_2(\tau) = \tilde{x}_3(\tau) + h_2 \Delta y_1(\tau), \quad (62b)$$

$$\dot{\tilde{x}}_2(\tau) = \tilde{x}_3(\tau), \quad (62c)$$

$$\begin{aligned} \dot{\tilde{x}}_3(\tau) = & I_0(\tau) + h_1 \Delta y_1(\tau) \\ & + \tilde{\Psi} [\tilde{x}(\tau), \hat{x}_1(\tau)], \end{aligned} \quad (62d)$$

$$\dot{I}_0(\tau) = h_0 \Delta y_1(\tau), \quad (62e)$$

$$\Delta y_1(\tau) = y(\tau) - \hat{x}_1(\tau), \quad (62f)$$

with the function

$$\begin{aligned} \tilde{\Psi} [\tilde{x}(\tau), \hat{x}_1(\tau)] & = - \frac{1 + \sigma + \beta}{\omega_o} \tilde{x}_3(\tau) - \frac{\beta (1 + \sigma)}{\omega_o^2} \tilde{x}_2(\tau) \\ & + \frac{\beta \sigma (\rho - 1)}{\omega_o^3} \hat{x}_1(\tau) - \frac{\hat{x}_1(\tau)^2 \tilde{x}_2(\tau)}{\omega_o^2} \\ & - \frac{\sigma \hat{x}_1(\tau)^3}{\omega_o^3} \\ & + \frac{\tilde{x}_2(\tau) \tilde{x}_3(\tau) + \frac{1 + \sigma}{\omega_o} \tilde{x}_2(\tau)^2}{\hat{x}_1(\tau)}. \end{aligned} \quad (63)$$







Fig. 3. Observation of a Lorenz strange attractor, part 1: state trajectory (a), $|\hat{\Psi}(\tau)|/||\underline{z}_a(\tau)||$ (b), $\Delta y(t)$, asymptotic convergence (c), $\Delta y(t)$, stabilised convergence (d), $\Delta y(\tau)$, asymptotic convergence (e), $\Delta y(\tau)$, stabilized convergence (f).




(a)



(b)



(c)



(d)

Fig. 4. Observation of a Lorenz strange attractor, part 2: $\Delta\hat{x}_2(\tau)$, $\Delta\check{x}_2(\tau)$, asymptotic convergence (a), $\Delta\hat{x}_2(\tau)$, $\Delta\check{x}_2(\tau)$, stabilized convergence (b), $\Delta\hat{x}_3(\tau)$, $\Delta\check{x}_3(\tau)$, asymptotic convergence (c), $\Delta\hat{x}_3(\tau)$, $\Delta\check{x}_3(\tau)$, stabilized convergence (d).

The transformation system linking the observer to the initial estimated space is the following:

$$\hat{z}_x(\tau) = \hat{x}_1(\tau), \tag{64a}$$

$$\hat{z}_y(\tau) = \hat{x}_1(\tau) + \left(\frac{\omega_o}{\sigma}\right) \check{x}_2(\tau), \tag{64b}$$

$$\begin{aligned} \hat{z}_z(\tau) = & \rho - 1 - \left(\omega_o + \frac{\omega_o}{\sigma}\right) \frac{\hat{x}_2(\tau)}{\hat{x}_1(\tau)} \\ & - \left(\frac{\omega_o^2}{\sigma}\right) \frac{\check{x}_3(\tau)}{\hat{x}_1(\tau)}. \end{aligned} \tag{64c}$$

If one fixes the parameter $\phi_4 = 2$, using (41) one can obtain $\phi_3 = 2$, $\phi_2 = 4$, $\phi_1 = 8$. We choose $\lambda = 1/8$ and thus define the matrix \underline{P} (33b). Using the stability conditions (32), we obtain the limiting conditions that

must be satisfied to synthesize the gains h_i :

$$\begin{aligned} h_0 & \geq 0.171, & h_1 & \geq 0.273, \\ h_2 & \geq 0.512, & h_3 & \geq 0.891. \end{aligned} \tag{65}$$

Using (48) for $n = 3$, $\nu = 1$, we fix the gains at

$$\underline{h}_a^T = [1 \quad 4 \quad 6 \quad 4], \tag{66}$$

for which the values satisfy the conditions (65). The initial observer conditions are fixed as $\check{x}(0) = \underline{0}$, $\hat{x}_1(0) = 1$, $\hat{x}_2(0) = 0$. Figures 3(c) and 3(d) illustrate the stability of the observer convergence in the transitory phase, compared with that of a Gauthier observer. The responses are very similar. The next test was performed in a noisy situation, by adding to $x_1(\tau)$ white noise with a passband with a limited amplitude of 0.2. For the observer (11), we visualise the following errors:

$$\Delta\check{x}_i(\tau) = x_i(\tau) - \check{x}_i(\tau), \quad i = 2, \dots, n. \tag{67}$$

The same is for the Gauthier observer—we visualise

$$\Delta \hat{x}_i(\tau) = x_i(\tau) - \hat{x}_i(\tau), \quad i = 2, \dots, n. \quad (68)$$

For the same initial conditions as for the trial without noise, Figs. 3(e), 3(f), 4(a), 4(b), 4(c), 4(d) illustrate the results obtained from noisy measurements $y(\tau)$. Systematically, the state distances are lower for the observer (11) than for the Gauthier observer except for state variables of order n , which are comparable. The observer (11) is thus more robust to noise and provides the best estimates of variables $z_y(\tau)$, $z_z(\tau)$ across the transformation (61).

4. Conclusions and perspectives

The results obtained in this study considerably extend the field of application compared with the previous one, as much for the type of non-linearities that it can treat as for the limiting stability conditions. The proposed observer structure allows expression of the convergence dynamics in the form of a non-linear differential equation with constant coefficients. Its stability is demonstrated when the non-linearities are at least locally of the Lipschitz type. In this case, n inequalities are determined by a quadratic Lyapunov function, which guarantees the stability. One thus demonstrates the exponentially convergent character of the estimates.

Gain synthesis in the scaled space provides gains independently of the time scale of the physical system and of the observer, not relying on the order n of the differential equations. Decoupling error corrections and the state space used to reconstruct the non-linear function $\Psi(t)$ strongly reinforces the robustness of estimates to measurement noise compared with results usually obtained with high gain observers.

The strategy PI permits modelling external perturbations and assures a unit gain in the observation dynamics. This constitutes an advantage which can be exploited by a regulation stage.

The reconstructed state vector has the major advantage of being exact and directly exploitable for state control without any additional transformations.

Further simulations under conditions of parametric uncertainty, minimized by online parameter identification, may help increase the robustness of such estimates, even in the presence of instrumental noise and external system perturbation. This can ultimately be extended to MIMO systems.

References

Alma, M. and Darouach, M. (2014). Adaptive observers design for a class of linear descriptor systems, *Automatica* **50**(2): 578–583.

Bestle, D. and Zeitz, M. (1983). Canonical form observer design for non-linear time-variable systems, *International Journal of Control* **38**(2): 419–431.

Bezzaoucha, S., Marx, B., Maquin, D. and Ragot, J. (2013). State and parameter estimation for time-varying systems: A Takagi–Sugeno approach, *American Control Conference (ACC), Washington, DC, USA*, pp. 1050–1055.

Bodizs, L., Srinivasan, B. and Bonvin, D. (2011). On the design of integral observers for unbiased output estimation in the presence of uncertainty, *Journal of Process Control* **21**(3): 379–390.

Boker, A. and Khalil, H. (2013). Nonlinear observers comprising high-gain observers and extended Kalman filters, *Automatica* **49**(12): 3583–3590.

Bouraoui, I., Farza, M., Ménard, T., Abdennour, R.B., M'Saad, M. and Mosrati, H. (2015). Observer design for a class of uncertain nonlinear systems with sampled outputs: Application to the estimation of kinetic rates in bioreactors, *Automatica* **55**: 78–87.

Chen, W., Khan, A.Q., Abid, M. and Ding, S.X. (2011). Integrated design of observer based fault detection for a class of uncertain nonlinear systems, *International Journal of Applied Mathematics and Computer Science* **21**(3): 423–430, DOI: 10.2478/v10006-011-0031-0.

Ciccarella, G., Mora, M.D. and Germani, A. (1993). A Luenberger-like observer for nonlinear systems, *International Journal of Control* **57**(3): 537–556.

Efimov, D. and Fridman, L. (2011). Global sliding-mode observer with adjusted gains for locally Lipschitz systems, *Automatica* **47**(3): 565–570.

Farza, M., Bouraoui, I., Ménard, T., Abdennour, R.B. and M'Saad, M. (2014). Adaptive observers for a class of uniformly observable systems with nonlinear parametrization and sampled outputs, *Automatica* **50**(11): 2951–2960.

Farza, M., M'Saad, M., Triki, M. and Maatoug, T. (2011). High gain observer for a class of non-triangular systems, *Systems and Control Letters* **60**(1): 27–35.

Fliess, M. (1990). Generalized controller canonical forms for linear and nonlinear dynamics, *IEEE Transactions on Automatic Control* **35**(9): 994–1001.

Gauthier, J. and Bornard, G. (1981). Observability for any $u(t)$ of a class of nonlinear systems, *IEEE Transactions on Automatic Control* **AC-26**(4): 922–926.

Gauthier, J., Hammouri, H. and Othman, S. (1992). A simple observer for nonlinear systems. Applications to bioreactors, *IEEE Transactions on Automatic Control* **37**(6): 875–880.

Ghosh, D., Saha, P. and Chowdhury, A. (2010). Linear observer based projective synchronization in delay Roessler system, *Communications in Nonlinear Science and Numerical Simulation* **15**(6): 1640–1647.

Gille, J., Decaulne, P. and Pélegrin, M. (1988). *Systèmes asservis non linéaires*, 5 ième edn, Dunod, Paris.

- Gißler, J. and Schmid, M. (1990). *Vom Prozeß zur Regelung. Analyse, Entwurf, Realisierung in der Praxis*, Siemens, Berlin/München.
- Glumineau, A. and López-Morales, V. (1999). *Transformation to State Affine System and Observer Design*, Lecture Notes in Control and Information Science, Vol. 244, Springer, London.
- Guerra, T., Estrada-Manzo, V. and Lendek, Z. (2015). Observer design for Takagi–Sugeno descriptor models: An LMI approach, *Automatica* **52**: 154–159.
- Hermann, R. and Krener, A. (1977). Nonlinear controllability and observability, *IEEE Transactions on Automatic Control* **AC-22**(5): 728–740.
- Krener, A. and Isidori, A. (1983). Linearization by output injection and nonlinear observers, *Systems & Control Letters* **3**(1): 47–52.
- Lorenz, E. (1963). Deterministic nonperiodic flow, *Journal of the Atmospheric Sciences* **20**(2): 130–141.
- Luenberger, D. (1966). Observers for multivariable systems, *IEEE Transactions on Automatic Control* **AC-11**(2): 190–197.
- Martínez-Guerra, R., Mata-Machuca, J., Aguilar-López, R. and Rodríguez-Bollain, A. (2011). *Applications of Chaos and Nonlinear Dynamics in Engineering*, Vol. 1, Springer-Verlag, Berlin/Heidelberg.
- Mazenc, F. and Dinh, T. (2014). Construction of interval observers for continuous-time systems with discrete measurements, *Automatica* **50**(10): 2555–2560.
- Menini, L. and Tornambè, A. (2011). Design of state detectors for nonlinear systems using symmetries and semi-invariants, *Systems and Control Letters* **60**(2): 128–137.
- Mobki, H., Sadeghia, M. and Rezaadehb, G. (2015). Design of direct exponential observers for fault detection of nonlinear MEMS tunable capacitor, *IJE Transactions A: Basics* **28**(4): 634–641.
- Morales, A. and Ramirez, J. (2002). A PI observer for a class of nonlinear oscillators, *Physics Letters A* **297**(3–4): 205–209.
- Raghavan, S. and Hedrick, J. (1994). Observer design for a class of nonlinear systems, *International Journal of Control* **59**(2): 515–528.
- Rauh, A., Butt, S.S. and Aschemann, H. (2013). Nonlinear state observers and extended Kalman filters for battery systems, *International Journal of Applied Mathematics and Computer Science* **23**(3): 539–556, DOI: 10.2478/amcs-2013-0041.
- Röbenack, K. and Lynch, A. (2004). An efficient method for observer design with approximately linear error dynamics, *International Journal of Control* **77**(7): 607–612.
- Röbenack, K. and Lynch, A.F. (2006). Observer design using a partial nonlinear observer canonical form, *International Journal of Applied Mathematics and Computer Science* **16**(3): 333–343.
- Schwaller, B., Ensminger, D., Dresch-Langley, B. and Ragot, J. (2013). State estimation for a class of nonlinear systems, *International Journal of Applied Mathematics and Computer Science* **23**(2): 383–394, DOI: 10.2478/amcs-2013-0029.
- Söffker, D., Yu, T. and Müller, P. (1995). State estimation of dynamical systems with nonlinearities by using proportional-integral observers, *International Journal of Systems Science* **26**(9): 1571–1582.
- Thabet, R., Raïssi, T., Combastel, C., Efimov, D. and Zolghadri, A. (2014). An effective method to interval observer design for time-varying systems, *Automatica* **50**(10): 2677–2684.
- Tornambè, A. (1992). High-gain observers for non-linear systems, *International Journal of Systems Science* **23**(9): 1475–1489.
- Tyukina, I., Steurb, E., Nijmeijer, H. and van Leeuwenb, C. (2013). Adaptive observers and parameter estimation for a class of systems nonlinear in the parameters, *Automatica* **49**(8): 24092423.
- Veluvolu, K., Soh, Y. and Cao, W. (2007). Robust observer with sliding mode estimation for nonlinear uncertain systems, *IET Control Theory and Applications* **1**(5): 15331540.
- Zeitz, M. (1985). Canonical forms for nonlinear-systems, in B. Jakubczyk et al. (Eds.), *Proceedings of the Conference on Geometric Theory of Nonlinear Control Systems*, Wrocław Technical University Press, Wrocław, pp. 255–278.
- Zeitz, M. (1987). The extended Luenberger observer for nonlinear systems, *Systems and Control Letters Archive* **9**(2): 149–156.
- Zheng, G., Boutat, D. and Barbot, J. (2009). Multi-output dependent observability normal form, *Nonlinear Analysis: Theory, Methods and Applications* **70**(1): 404–418.



Benoît Schwaller received his Ph.D. in automatic control and biomechanics in 1993 from the Louis Pasteur University of Strasbourg (France). Since 1999, he has been teaching at the University Institute of Technology of Schiltigheim, University of Strasbourg. He conducts his research at INSA Strasbourg, Graduate School of Science and Technology. His fields of interest include real time control, non-linear observer modelling and identification.



Denis Ensminger obtained a Master's degree in computer science and a Ph.D. in informatics and biomechanics at the Louis Pasteur University of Strasbourg (France). He has worked as an engineer for companies such as Intertechnique or Siemens. Since 1992, he has been a research scientist in computer science at the University Institute of Technology (Strasbourg University). His research at INSA Strasbourg (LGECO), Graduate School of Science and Technology, is mainly focused on signal processing, artificial intelligence and embedded systems. He also works for industry as a consultant.



Birgitta Dresp-Langley obtained a Ph.D. in cognitive science in 1992 at University Paris V. She has been a tenured research scientist with CNRS since 1993. Her fields of interest include cognitive systems, perceptual processes, modelling, and abstract expressionist painting.



José Ragot received his engineer's degree in 1969 with specialisation in control from ECN Nantes (France), Graduate School of Science and Technology. Then, he joined the University of Nancy (France), where he received his Master's in 1970. In 1973 he obtained his Ph.D. and in 1980 his *Diplôme de Doctorat-es-Sciences*. Since 1985, José Ragot has been a full professor at the University of Lorraine and a researcher at the Automatic Control Research Center of Nancy (CRAN). His fields of interest include data validation, process diagnosis, fault detection and isolation, modelling and identification.

Received: 19 June 2015

Revised: 15 April 2016

Accepted: 3 June 2016