

Bibliografia

- [1] Adjallah K., Mourot G., Tan E., Ragot J.: Non-linear observers using fuzzy gain adaptation. *Proc. Int. Workshop on Fuzzy Technologies in Automation and Intelligent Systems*, Duisburg, Germany, April 7-8, 1994, pp. 73-86.
- [2] Agogino A., Tseng M., Jain P.: Integrating neural networks with influence diagrams for power plant monitoring and diagnosis. *TOOLDIAG'93, Proc. Int. Conf. on Fault Diagnosis*, Toulouse, France. April 5-7, 1993, pp. 213-216.
- [3] Agrawal R., Imielinski T., Swami A.: Database mining: A performance perspective. *IEEE Trans. on Knowledge and data engineering*, Vol. 5, Dec. 1993, pp.914-925.
- [4] Aguilar J., Cerrada M., Morillo K.: A Reliability-Based Failure Management Application using Intelligent Hybrid Systems. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 197-202.
- [5] Allesandr A., Delia M., Graffione G., Parissini T.: Nonlinear Fault Detection by a Bank of Neural Estimators. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 440-445.
- [6] Ayoubi M.: Fault diagnosis with dynamic neural structure and application to a turbocharger. *Proc. Int. Symp. Fault Detection Supervision and Safety for Technical Processes, SAFEPROCESS'94*, Espoo, Finland, 1994, Vol. 2, pp. 618-623.
- [7] Ayoubi M.: Fuzzy systems design based on a hybrid neural structure and application to the fault diagnosis of technical processes. *Control Engineering Practice*, 1996, Vol. 4, No. 1, pp.35-42.
- [8] Badiru A.B., Cheung J.Y.: Fuzzy Engineering Expert Systems with Neural Network Applications, *JOHN WILEY&SONS, INC.*, New York, 2002.

- [9] Bakiotis C., Raymond J., Rault A.: Parameter identification and discrimination analysis for jet engine mechanical state diagnosis. *IEEE Conf. on Decision and Control*, 1979, Fort Lauderdale.
- [10] Baldeweg F., Fiedler V.: Dialog-orientierte Analysen von Ereignisgraphen - ein Verfahren zur Diagnose komplexer technologischer Anlagen. *Messen-Steuer-Regeln*, 1982.
- [11] Bartyś M.: Szybkie algorytmy rozmytej detekcji i lokalizacji uszkodzeń. *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łagów k. Zielonej Góry, wrzesień 2001, ss.179-184.
- [12] Basseville M., Nikiforov I.V.: Detection of Abrupt Changes. Theory and Application. Englewood Cliffs, N.J.:Prentice Hall, Inc, 1993.
- [13] Basztura Cz.: Komputerowe systemy diagnostyki akustycznej. *PWN, Warszawa*, 1996.
- [14] Baumann T., Germond A., Tschndi D.: Impulse test fault diagnosis on power transformers using Kohonon's self-organizing neural network. *TOOL-DIAG'93, Proc. Int. Conf. on Fault Diagnosis*, Toulouse, France. April 5-7, 1993, pp. 199-205.
- [15] Bazewicz M.: Metody i techniki reprezentacji wiedzy w projektowaniu systemów. *Wydawnictwo Politechniki Wrocławskiej*, 1994.
- [16] Bengio S., Bengio Y.: Taking on the curse of dimensionality in joint distribution using neural networks. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.550-557.
- [17] Bengio Y., Buhmann J.M., Embrechts M.J.: Introduction to the Special Issue on Neural Networks for Data Mining and Knowledge Discovery. *IEEE Trans. Neural Networks*, June 2000, vol.11, no.3, pp.544-548.
- [18] Berenblut B.J., Whitehouse H.B.: A method for monitoring process plant based on a decision table analysis. *The Chemicals Engineering*, 1977.
- [19] Berry M.J.A., Linoff G.: Data Mining Techniques: For Marketing, Sales, and Customer Support. *John Wiley & Sons*, 1997.
- [20] Będkowski L.: Elementy diagnostyki technicznej, - *WAT, Warszawa*, 1992.
- [21] Blanke M., Frei Ch.W., Kraus F., Patton R.J., Staroswiecki M.: What is Fault-tolerant control. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 40-51.
- [22] Bonissone P.P., Badami V., Chiang K.H., Khedkar P.S., Marcelle K.W., Schutten M.J.: Industrial application of fuzzy logic at General Electric. *Proc. of the IEEE*, March, 1995, Vol. 83, No. 3, pp. 450-465.

- [23] Buchanan B.G., Shortliffe E.H.: Model-directed learning of production rules, in Pattern-Directed Inference Systems. *New York: Academic*, 1978.
- [24] Byczkowska-Lipińska L., Wosiak A.: Analiza zastosowań sieci neuronowych w systemach diagnostyki wibroakustycznej. *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łągów k. Zielonej Góry, wrzesień 2001, ss. 161-164.
- [25] Byrnes C.I., Lindquist A., McGregor T.: Predictability and unpredictability in Kalman filtering. *IEEE Transactions on Automatic Control*. May, 1991, Vol. 36, No. 5, pp. 563-579.
- [26] Cempel Cz.: Podstawy wibroakustycznej diagnostyki maszyn. *WNT, Warszawa*, 1982.
- [27] Cholewa W.: Tablica ogłoszeń w diagnostycznych systemach doradczych. *PAK Nr 4*, 1998, ss. 123-128.
- [28] Cholewa W.: Bazy danych w diagnostyce technicznej. *II Międzynarodowy Kongres Diagnostyki Technicznej Diagnostyka 2000*, Warszawa, 2000.
- [29] Cholewa W., Kiciński J.: Diagnostyka techniczna, odwrotne modele diagnostyczne. *Monografia*, Wydawnictwo Politechniki Śląskiej, Gliwice, 1997.
- [30] Cholewa W., Urbanek G.: Grupowanie i klasyfikacja elementów wielowymiarowych przestrzeni cech sygnałów diagnostycznych. *II Międzynarodowy Kongres Diagnostyki Technicznej, Diagnostyka 2000*, Warszawa, 2000.
- [31] Chow E.Y., Willsky A.S.: Analytical redundancy and the design of robust failure detection systems. *IEEE Transactions Automatic Control*, 1984, Vol. 29, pp. 603-614.
- [32] Chrzanowski P.: Metody redukcji danych w diagnostycznych bazach danych *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łągów k. Zielonej Góry, wrzesień 2001, ss. 241-244.
- [33] Chun R.K.: Software integration of real-time expert systems. *Control Engineering Practice*, 1996, Vol. 4, No. 1, pp. 83-88.
- [34] Chwiałkowska E.: Sztuczna inteligencja w systemach eksperckich. *MIKOM Warszawa*, 1991.
- [35] Clark R.N.: The dedicated observer approach to instrument fault detection. *Proc. 15th IEEE-CDC*, Fort Landerdale, Fl., 1979, pp. 237-241.
- [36] Clark P., Niblett R.: The CN2 induction algorithm. *Machine learning*, 1989, vol. 3, pp. 261-284.

- [37] Chaker N., Wagenknecht M., Hampel R.: Fuzzy Controller Structure Transformation, - *Proc. of the 3rd International FLINS Workshop*, Antwerp, Belgium, September 14-16, 1998, pp. 99-110
- [38] Damborg M., Chen-Ching Lin: Artificial neural networks and expert systems in power system operations environment. *Proc. of the 1992 Inns Summer Workshop: Neural Network Computing for the Electric Power Industry*, 1992, pp. 11-14.
- [39] Daszczuk W., Muraszkievicz M. *et al.*: Data Mining for Technical Operation of Telecommunications Companies: a Case Study. *Proc. of Int. Conf. SCI/ISAS*, USA, 2000.
- [40] Davidson V. J., Ryks J., Chu Terrence.: Fuzzy models to predict consumer ratings for biscuits based on digital image features, - *IEEE Trans. on Fuzzy Systems*, Vol. 9, No. 1, February 2001, pp. 62-67.
- [41] Deckert J.C., Desai M.N., Deyst J.J., Willsky A.S.: F-8 DFBW sensor failure identification using analytical redundancy. *IEEE Transactions Automatic Control*, 1977, Vol. 22, pp.759-803.
- [42] Ding Y., Wach D.: A fuzzy diagnosis system for automatic classification of a coustic burst events in nuclear power plants. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFE-PROCESS'97*, Hull UK, August, 1997, Vol. 2, pp. 748-752.
- [43] Draye J. P.S., Pavisic D.A., Cheron G.A. i Libert G.A.: Dynamic recurrent neural networks: A dynamical analysis. *IEEE Trans. Systems, Man, and Cybernetics, Part B: Cybernetics*, 1996, Vol. 26, pp. 692-706.
- [44] Du Y., Wang F., Cheng T.C.: A case study of neural networks application: power equipment failure diagnosis. *TOOLDIAG'93, Proc. Int. Conf. on Fault Diagnosis*, Toulouse, France. April 5-7, 1993, pp. 207-211.
- [45] Duan G.R., Patton R.J.: Robust fault detection in linear systems using Luenberger observers. *Proc. UKACC Int. Conf. On CONTROL'98*, 1-4 Sept., 1998, pp. 1468-1472.
- [46] Duan Ji-Cheng, Chung Fu-lai: Cascaded fuzzy neural network model based on syllogistic fuzzy reasoning, - *IEEE Trans. on Fuzzy Systems*, Vol. 9, No. 2, April 2001, pp. 293-306.
- [47] Duch W., Korbicz J., Rutkowski L., Tadeusiewicz R.: *Sieci neuronowe*. - *Akademicka Oficyna Wydawnicza EXIT*, Warszawa, 2000.
- [48] Elder J.F., Abbot D.W.: A Comparison of Leading Data Mining Tools. *Fourth Int. Conf. on Knowledge Discovery & Data Mining*, New York, 1998.

- [49] Eykhoff P.: Identyfikacja w układach dynamicznych, - *BNI, Warszawa*, 1980.
- [50] Fayyad U.M., Piatetsky-Shapiro G., Smyth P., Uthurusamy R.: Advances in Knowledge Discovery and Data Mining, *AAAI Press/The MIT Press*, 1996.
- [51] Ficola A., La Cava M., Magnino F.: An approach to fault diagnosis for non linear dynamic systems using neural networks. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFE-PROCESS'97*, Hull UK, August, 1997, Vol. 1, pp. 365-370.
- [52] Filbert D., Metzger K.: Quality test of systems by parameter estimation. *9th IMEKO Congress*, Berlin, 1982.
- [53] Fine T.L.: Feedforward Neural Network Methodology. - *Springer-Verlag*, New York Inc., 1999.
- [54] Fogel L.J., Owens A.J., Walsh M.J.: Artificial intelligence thought the simulation
- [55] Frank P.M.: Fault diagnosis in dynamic system using analytical and knowledge-based redundancy - Survey and some new results. *Automatica*, 1990, vol. 26, No.3, pp.459-474.
- [56] Frank P.M.: Advances in observer-based fault diagnosis. TOOLDIAG'93, *Proc. Int. Conf. on Fault Diagnosis*, Toulouse, France. April 5-7, 1993, pp. 817-835.
- [57] Frank P.M.: Fuzzy supervision - Application of fuzzy logic to process supervision and fault diagnosis, - *Proc. Int. Workshop on Fuzzy Intelligent Systems*, Duisburg, Germany, April 7-8, 1994, pp.36-59.
- [58] Frank P.M., Köppen-Seliger B.: New developments using artificial intelligence in fault diagnosis. *Engineering Application Artificial Intelligence*, 1997, Vol. 10, No. 1, pp. 3-14.
- [59] Fu L.M., Shortliffe E.H.: The application of certainty factors to neural computing for rule discovery. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.647-657.
- [60] Furuta H.: Comprehensive analysis for structural damage based upon fuzzy sets theory. *J. of Intelligent & Fuzzy Systems*, 1993, Vol. 1, pp.55-61.
- [61] Gautier M., Janin C., Presse C.: Dynamic identification of robots using least squares and extended Kalman filtering methods. ECC'93, *Proc. European Control Conf.*, June 28- July 1, 1993, Groningen, The Netherlands, pp. 2291-2296.

- [62] Geiger G.: Monitoring an electrical driven pump using continuous-time parameter estimation models. *Proc. 6th IFAC Symp. on Identification and Parameter Estimation*, Washington, Pergamon Press, Oxford, 1982.
- [63] Georgescu C., Afshari A., Bornard G.: A comparison between fuzzy logic neural networks and conventional approaches to system modelling and identification, - *EUFIT'93 Proc. First European Congress on Fuzzy Intelligent Technologies*, Aachen, September 7-10, 1993, pp. 1632-1640.
- [64] Gertler J.J.: Analytical redundancy methods in fault detection and isolation. *Prep. IFAC/IMAC Symp. "Fault detection, Supervision and Safety for Technical Processes SAFEPROCESS'91"*, Baden-Baden, Germany, 1991, Vol. 1, pp. 9-21.
- [65] Gertler J.J.: Towards a theory of dynamic consistency relations. *Proc. IFAC Workshop On-line Fault Detection and Supervision in Chemical Industry*, 1995, pp. 143-156.
- [66] Gertler J.: A cautions look at robustness in residual generation. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 1, pp. 133-139.
- [67] Gertler J.J., Singer D.: A new structural framework for parity equation-based failure detection and isolation. *Automatica*, 1990, Vol. 26, pp. 381-388.
- [68] Gertler J., Monajemy R.: Generating fixed direction residuals with dynamic parity equations. *Automatica*, 1995, Vol. 31, pp. 627-635.
- [69] Gertler J.J., Kunwert M.: Optimal residual decoupling for structured diagnosis and disturbances insensibility. *Int. J. of Control*, 1995, Vol. 61, pp. 395-421.
- [70] Gertler J., DiPierro G.: On the relationship between parity relations and parameter estimation. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 1, pp. 468-473.
- [71] Gertler J., McAvoy T. J.: Principal component analysis and parity relations - a strong duality. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 2, pp. 837-842.
- [72] Gertler J.J., Luo Q.: Direct identification of nonlinear parity relations - a way around the robustness problem. *Proc. on the 37th IEEE Conf. CDC*, Tampa, Florida USA, 1998, pp. 78-83.
- [73] Gupta M.M. i Rao D.H.: Dynamic neural units with application to the control of unknown nonlinear systems. *Journal of Intelligent and Fuzzy Systems*, 1993, Vol. 1, pp. 73-92.

- [74] Halme A., Selkänaho J.: Advanced fault detection for sensors and actuators in process control. *Prep. IFAC/IMAC Symp. "Fault detection, Supervision and Safety for Technical Processes SAFEPROCESS'91"*, Baden-Baden, Germany, 1991, Vol. 1, pp. 343-349.
- [75] Heiming B., Lunze J.: Parallel knowledge-based process diagnosis applied to a local power station plant. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes"*, SAFEPROCESS'97, Hull UK, August, 1997, Vol. 2, pp. 1114-1119.
- [76] Hertz J., Krogh A., Palmer R.G.: Wstęp do teorii obliczeń neuronowych. *WNT, Warszawa*, 1993.
- [77] Himmelblau D.M.: Fault Detection and Diagnosis in Chemical and Petrochemical Processes. *New York: Elsevier*, 1978.
- [78] Hochmann H.: Automatic monitoring and failure diagnosis for machine tools (in German). *Dissertation, T.H. Darmstadt*, 1977.
- [79] Höfling T., Pfeufer T.: Detection of additive and multiplicative faults - Parity space vs. Parameter estimation. *Proc. IFAC SAFEPROCESS Symp. '94*, Espoo, Finland, 1994.
- [80] Hopfield J.J.: Neural networks and physical systems with emergent collective computational abilities. *Proc. of the National Academy of Sciences*, 1982, Vol. 79, pp. 2554-2558.
- [81] Horikawa S., Furuhashi T., Uchikawa Y., Tagawa T.: A Study on fuzzy modeling using fuzzy neural networks. *Fuzzy Engineering toward Human Friendly Systems IFES'91*, s.562-573.
- [82] Instytut Energetyki, 01-330 Warszawa, ul. Mory 8, www.ien.com.pl.
- [83] Isermann R.: Process fault detection based on modelling and estimation methods. A survey. *Automatica*, 1984, Vol. 20, No. 4, pp. 387-404.
- [84] Isermann R.: Fault diagnosis of machines via parameter estimation and knowledge processing - Tutorial paper. *Automatica*, 1993, Vol. 29, No. 4, pp. 815-835.
- [85] Isermann R.: On the integration of fault detection methods via unified fuzzy symptom representation. EUFIT'93, *Proc. First European Congress on Fuzzy Intelligent Technologies*, Aachen, September 7-10, 1993, pp. 400-407.
- [86] Isermann R.: On the applicability of model-based fault detection for technical processes. *Control Engineering Practice*, 1994, Vol. 2, No. 3, pp. 439-450.
- [87] Isermann R.: Model based fault detection and diagnosis methods. *American Control Conf. (ACC)* Seattle, USA, June 21-23, 1995.

- [88] Isermann R.: Supervision, fault detection and fault-diagnosis methods. An introduction. *Control Engineering Practice*, 1997, Vol. 5, No. 5, pp.639-652.
- [89] Isermann R., Freyermuth B.: Process fault diagnosis based on process model knowledge. Part I: Principles for fault diagnosis with parameter estimation. Part II: Case study experiments. *J. of Dynamic Systems Measurement and Control*, 1991, Vol. 113/627.
- [90] Isermann R., Balle P.: Trends in the application of model-based fault detection and diagnosis of technical processes. *Control Engineering Practice*, 1997, Vol. 5, No. 5, pp. 709-719.
- [91] Iserman R., Schwarz R., Stölzl S.: Fault Tolerant Drive - By-Wire Systems - Concepts and Realizations. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 1-15.
- [92] Jagielski J.: Inżynieria wiedzy w systemach ekspertowych. *Lubuskie Towarzystwo Naukowe*, Zielona Góra, 2001.
- [93] Janczak A.: Modele parametryczne i neuronowe w diagnostyce podzespołów procesów przemysłowych. *IV Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Kazimierz Dolny, wrzesień 1999, ss. 113-116.
- [94] Janiczek R.: Eksploatacja elektrowni parowych. *PWN, Warszawa*, 1980.
- [95] Jiang J., Zhao Q.: Should we use parameter estimation or state estimation based FDI algorithms. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes"*, *SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 1, pp. 474-480.
- [96] Kaczorek T.: Teoria sterowania i systemów. *PWN, Warszawa*, 1993.
- [97] Kahlert J.: Fuzzy Control für Ingenieure. *Braunschweig, BRD: Vieweg Verlag*, 1995.
- [98] Kalman R.E.: A new approach to linear filtering and prediction problems. *IEEE Press, Kalman Filtering: Theory and Application*, New York, 1985, pp. 16-26.
- [99] Kästner W., Fenske A., Hampel R.: Improvement of the robustness of model-based measuring methods using fuzzy logic, - World Scientific, *Proc. of the 3rd International FLINS Workshop*, Antwerp, Belgium, September 14-16, 1998, pp. 129-142.
- [100] Kewley R., Embrechts M., Breneman C.: Data strip mining for the virtual design of pharmaceuticals with neural networks. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.668-679.

- [101] Kohonen T.: Self-organization and associative memory. *Springer Series in Information Sciences*, 1984, Vol. 8, Berlin: Springer-Verlag.
- [102] Kohonen T., Kaski S., Lagus K., Salojärvi J., Honkela J., Paatero V., Saarela A.: Self organization of a massive document collection. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.574-585.
- [103] Koivo H.N.: Artificial neural networks in fault diagnosis and control. *Control Engineering Practice*. 1994, Vol. 2, No. 1, pp. 89-101.
- [104] Koleśnik R., Koleśnik L., Kosiński W.: Genetic operators for clustering analysis, *Proc. 8th Int. Symp. Intelligent Information Systems*, Ustroń/Wisła, Poland, 1999, pp. 203-208.
- [105] Korbicz J.: Neural network architectures used in modelling/identification and control of dynamic systems. *Proc. 8th Int. Conf. Systems Modelling Control*, Zakopane, Poland, 1995, Vol. 3, pp.54-59.
- [106] Korbicz J.: Neural networks and their application in fault detection and diagnosis. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 1, pp. 377-382.
- [107] Korbicz J.: Sztuczne sieci neuronowe i ich zastosowanie w diagnostyce procesów przemysłowych, - *PAK, no.4*, 1998, ss. 129-133.
- [108] Korbicz J.: Optymalizacja modelowania neuronowego w diagnostyce procesów. *II Międzynarodowy Kongres Diagnostyki Technicznej*, 2000, Warszawa, vol.1, ss. 107-114.
- [109] Korbicz J., Fathi Z. and Ramirez W.F.: Fault detection in dynamics systems. State estimation approach. *Applied Mathematics and Computer Science*, 1991, vol.1, No.1, pp.83-106.
- [110] Korbicz J., Cempel Cz. (Ed.): Analytical and knowledge-based redundancy in fault detection and diagnosis. *Special Issue: Applied Mathematics and Computer Science*, 1993, Vol. 1, No. 3. pp. 398-642.
- [111] Korbicz J., Bidyuk P.: State and parameter estimation. Digital and optimal filtering applications. *Higher College of Engineering Press*, Zielona Góra, 1993.
- [112] Korbicz J., Fathi Z. and Ramirez W.F.: State estimation schemes for fault detection and diagnosis in dynamic systems. *Int. J. Systems Sciences*, 1993, vol.24, No.5, pp.985-1000.
- [113] Korbicz J., Marczewska G.: Suboptimal filtering for failure detection and isolation. *Proc. IUTAM Symp. on "Identification of Mechanical Systems"*, August 23-27, 1993, Wuppertal, pp. 24-28.

- [114] Korbicz J., Uciński D., Pieczyński A., Marczevska G.: Knowledge-based fault detection and isolation system for power plant simulator. *Applied Mathematics and Computer Science*, 1993, vol. 3, No. 3. pp. 613-631.
- [115] Korbicz J., Uciński D., Pieczyński A., Marczevska G., Golińczak R.: System ekspertowy diagnostyki technicznej dla symulatora elektrowni cieplnej. *Mat. II Krajowej Konferencji Naukowej, "Inżynieria Wiedzy i Systemy Ekspertowe"*, Wrocław. Czerwiec, 1993, ss.534-544.
- [116] Korbicz J., Uciński D., Pieczyński A., Marczevska G.: An integrated approach to fault detection and diagnosis in power plant. *Prep. IFAC/IMACS Symp. Fault Detection, Supervision and Safety for Technical Processes SAFEPROCESS '94*, Espoo, Finland, 1994, v.1, pp. 140-146.
- [117] Korbicz J., Pieczyński A., Marczevska G.: Application of artificial neural networks in power plant diagnosis. *Proc. of the Second Int. Symp. on Methods and Models in Automation and Robotics*, Międzyzdroje, Poland, 1995, vol.2, pp. 749-754.
- [118] Korbicz J., Kościelny J.M, Kowalczyk Z., Cholewa W.(Red.): Diagnostyka procesów: Modele; Metody sztucznej inteligencji; Zastosowania. *WNT Warszawa*, 2002.
- [119] Kornacki S., Jankowska A.: Neuronowe modele w monitorowaniu emisji toksyn. *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łagów k. Zielonej Góry, wrzesień 2001, ss. 157-160.
- [120] Kościelny J.M, Sikora A.: Dekompozycja złożonych obiektów diagnozowania. *Archiwum Automatyki i Robotyki*, Tom XXXVI, Zeszyt 1, 1991, ss. 115-131.
- [121] Kościelny J.M.: Diagnostyka ciągłych zautomatyzowanych procesów przemysłowych metodą dynamicznych tablic stanu. *Prace naukowe, Elektronika, z. 95, Wydawnictwa Politechniki Warszawskiej*, Warszawa, 1991.
- [122] Kościelny J.M.: Fault isolation in industrial processes by the dynamic table of state method. *Automatica*, 1995, Vol. 31, No. 5, pp. 747-753.
- [123] Kościelny J.M.: Metody detekcji uszkodzeń stosowane w diagnostyce procesów przemysłowych. *PAK Nr 4*, 1998, ss. 134-139.
- [124] Kościelny J.M.: Systemy nadzorowania i wizualizacji procesów przemysłowych - wymagania, kryteria oceny. *PAK Nr 3*, 1998, ss. 69-72.
- [125] Kościelny J.M.: Zastosowanie logiki rozmytej w diagnostyce procesów przemysłowych. *Mat. Konf. IV Krajowej Konferencji "Diagnostyka Techniczna Urządzeń i Systemów"*, DIAG'98, Szczecin-Międzyzdroje-Ystad, 14-18 wrzesień, 1998, pp. 235-242.

- [126] Kościelny J.M.: Diagnostyka zautomatyzowanych procesów przemysłowych. - *Akademicka Oficyna Wydawnicza EXIT*, Warszawa, 2001.
- [127] Kościelny J.M., Wasiewicz P.: Fault diagnosis and protection in industrial control systems. *Engineering Simulation*, 1996, Vol. 13, pp. 889-904.
- [128] Kościelny J.M., Szczepaniak P.: Terminologia oraz klasyfikacja metod detekcji i diagnostyki procesów przemysłowych. *II Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łagów k. Zielonej Góry, wrzesień 1997, ss.57-68.
- [129] Kościelny J.M., Jankowska A., Syfert M., Ostasz A., Nowak J: Metody detekcji uszkodzeń bazujące na modelach rozmytych i neuronowych - badania dla wybranych obiektów przemysłowych. *IV Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Kazimierz Dolny, wrzesień 1999, ss.49-64.
- [130] Kościelny J.M., Ostasz A., Wasiewicz P.: Fault Detection Based on Fuzzy Neural Networks - Application to Sugar Factory Evaporator. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 337-342.
- [131] Kościelny J.M., Syfert M.: Analiza własności algorytmów diagnostycznych bazujących na lokalnych i globalnych modelach obiektów, - *Mat. Konf. II Międzynarodowy Kongres Diagnostyki Technicznej Diagnostyka 2000*, (CD), Warszawa, wrzesień, 2000.
- [132] Kościelny J.M., Syfert M.: Current Diagnostics of Power Boiler System with Use of Fuzzy Logic. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 2, pp. 681-686.
- [133] Kowal M., Korbicz J.: Neuro-fuzzy approach for fault diagnosis of dynamic systems. - *Proc. 5th Conf. Neural Networks and Soft Computing*, Zakopane, May 6-10, 2000, pp. 503-508.
- [134] Kowal M., Korbicz J.: Neuro-fuzzy detector for industrial process, - *In: Hampel R., Wagenknecht M. and Chaker N. (Eds.): Advances in Soft Computing. Fuzzy Control*. - Heidelberg New York: Physica-Verlag, 2000, pp. 294-301.
- [135] Koźuchowski J.: Sterowanie systemami energetycznymi, - *PWN Warszawa*, 1994.
- [136] König A.: Interactive visualization and analysis of hierarchical neural projection for data mining. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.615-624.
- [137] Kulikowski R.: Wspomaganie decyzji. Systemy eksperckie. *Instytut Badań Systemowych PAN*, Warszawa, 1995.

- [138] Kutschewski J.G., Hui S., Zak S.: Application of feedforward neural network to dynamical systems identification and control. *IEEE Trans. Control Systems Technology*, 1993, Vol. 1, pp. 37-49.
- [139] Lapeyre F., Habmelouk N., Zolghardi A., Monsion M.: Fault detection in induction motors via parameter estimation techniques. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFE-PROCESS'97*, Hull UK, August, 1997, Vol. 1, pp. 270-275.
- [140] Lavrac N., Dzeroski S.: Inductive logic programming: Techniques and applications. *New York: Ellis Horwood*, 1994.
- [141] Lee R.S.T, Liu J.N.K.: Tropical cyclone identification and tracking system using integrated neural oscillatory elastic graph matching and hybrid rbf network track mining techniques. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.680-689.
- [142] Ligęza A.: Logical foundations for knowledge-based control systems, knowledge representation, reasoning and theoretical properties. *Scientific Bulletins of the University of Mining and Metallurgy, Automatics, Bulletin 63*, Kraków, 1993.
- [143] Looney C.G.: Pattern Recognition Using Neural Networks. *New York: Oxford University Press*, 1997.
- [144] Lorden G.: Procedures for reacting to a change in distribution. *Annals Mathematical Statistics*, 1971, Vol. 42, pp. 1897-1908.
- [145] Luenberger D.: An introduction to observers. *IEEE Trans. Automatic Control*, 1971, Vol. 16, No. 6, pp. 596-602.
- [146] Mach R.S.H., Stanley G.M., Downing D.M.: Reconciliation and rectification of process flow and inventory data. *Ind. and Eng. Chemistry, Proc. Des. Dev.*, 15, 175, 1976.
- [147] Mamdani E.H.: Application of fuzzy algorithms for control of simple dynamic plant. *Proc. IEEE*, 1974, No.121 (12), pp. 1585-1588.
- [148] Mańczak K.: Metody identyfikacji wielowymiarowych obiektów sterowania. *WNT, Warszawa*, 1979.
- [149] Massoumnia M.A., Verghese G.C., Willsky A.S.: Failure detection and identification, - *IEEE Transactions Automatic Control*, 1989, Vol. 34, pp. 316-321.
- [150] McCulloch W.S. i Pitts W.: A logical calculus of ideas immanent in nervous activity, - *Bull. Math. Biophysics*, 1943, Vol. 5, pp. 115-133.
- [151] Michalski R.S.: A theory and methodology of inductive learning. *Artificial Intelligence 20*, 1983, pp. 111-161.

- [152] Mitain S., Kosko B.: The shape of fuzzy sets in adaptive function approximation, - *IEEE Trans. on Fuzzy Systems*, Vol. 9, No. 4, August 2001, pp. 637-656.
- [153] Moczulski W.: Metody pozyskiwania wiedzy dla potrzeb diagnostyki maszyn, - *Zeszyty naukowe Politechniki Śląskiej, Mechanika*, z130, Gliwice, 1997.
- [154] Moczulski W., Żytkow J.M.: Automated search for knowledge on machinery diagnostics. *Proc. of the Workshop Intelligent Information Systems IIS'97, Inst. Podstaw Informatyki PAN, Warszawa-Zakopane 1997*, pp. 194-203.
- [155] Moczulski W., Wachla D.: Acquisition of diagnostic knowledge using discoveries in databases. *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łagów k. Zielonej Góry, wrzesień 2001, ss. 219-224.
- [156] Montmain J., Gentil S.: Decision-making in fault detection: A fuzzy approach. TOOLDIAG'93, *Proc. Int. Conf. on Fault Diagnosis*, Toulouse, France. April 5-7, 1993, pp. 653-660.
- [157] Mozer M.C., Wolniewicz R., Grimes D.B., Jonson E., Kaushansky H.: Predicting subscriber dissatisfaction and improving retention in the wireless telecommunications industry. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.690-696.
- [158] Mulawka J.J.: Systemy ekspertowe. *WNT, Warszawa*, 1996.
- [159] Muraszewicz M.: Data Mining at a Glance. *Proc. of Int. Conf. TEMPUS PHARE JEP-12165-97*, 10-12 June, 1999, Gdansk.
- [160] Natke G.H., Tomlinson G.R., Yao J.T.P.: Safety evaluation based on identification approaches related to time-variant and nonlinear structures. *Friedr. Vieweg & Sohn Verlagsgesellschaft mbH, Braunschweig/Wiesbaden*, 1993.
- [161] Neupert D., Schlee M., Simon E.: Application and benefits of an expert system used in daily operation (MODI). *Proc. Power Gen. Asia'96 Conf.* New Delhi, September 17-19, 1996.
- [162] Niederliński A.: Edip - ekspert dla identyfikacji. *Wydawnictwo Politechniki Śląskiej*, Gliwice, 1993.
- [163] Niederliński A.: Regułowe systemy ekspertowe. *Wydawnictwo Pracowni Komputerowej Jacka Skalmierskiego*, Gliwice 2000.
- [164] Niewczas J.: Elektroniczny model procesów zachodzących w obiekcie kocioł-turbina. *Opracowanie Instytutu Automatyki Przemysłowej Politechniki Warszawskiej*, Warszawa, 1982.
- [165] Niziński S.: Wnioskowanie diagnostyczne, - *Materiały IX Szkoły Diagnostyki*, Poznań, 1989.

- [166] Obuchowicz A. i Patan K.: Sieć neuronów dynamicznych jako generator residuów. Optymalizacja architektury. *III Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Jurata k/Gdańska, 1998, pp. 101-106.
- [167] Obuchowicz A., Korbicz J.: Algorytmy ewolucyjne w systemach diagnostycznych. *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łagów k. Zielonej Góry, wrzesień 2001, ss. 115-122.
- [168] Orłowski Z., Gałka T., Bytnar A.: Diagnostyka maszyn i urządzeń technicznych. *Mat. Kongresu Diagnostyki Technicznej KDT'96*, Gdańsk, 1996.
- [169] Patan K., Korbicz J.: Application of dynamic neural network in modelling and identification, - *Proc. 3rd Int. Conf. Methods and Models in Automation and Robotics*, Międzyzdroje, Poland, 1996, vol.3, pp 1141-1146.
- [170] Patan K., Korbicz J.: Dynamic neural networks with filter of different orders. *Proc. 4th Int. Conf. Methods and Models in Automation and Robotics*, Międzyzdroje, Poland, 1997, vol.3.
- [171] Patan K., Obuchowicz A., Korbicz J.: Cascade network of dynamic neurones in fault detection systems. *ECC'99*, Karlsruhe, 1999.
- [172] Patan K., Korbicz J.: Application of Dynamic Neural Networks in an Industrial Plant. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 186-192.
- [173] Patton R., Frank P., Clark R.: Fault Diagnosis in Dynamic Systems. Theory and Applications. *Prentice Hall, New York*, 1989.
- [174] Patton R., Chen J.: A review of parity space approaches to fault diagnosis. *Prep. IFAC/IMAC Symp. "Fault detection, Supervision and Safety for Technical Processes SAFEPROCESS'91"*, Baden-Baden, Germany, 1991, Vol. 1, pp. 239-255.
- [175] Patton R.J., Chen J.: Observer-based fault detection and isolation: Robustness and applications. *Control Engineering Practice*, 1997, Vol. 5, No. 5, pp. 671-682.
- [176] Patton R. J.: Fuzzy observers for non-linear dynamic systems fault diagnosis, - *Proc. of the 37th IEEE Conf. On Decision and Control*, Tampa, Florida USA, Dec. 1998, pp. 84-89.
- [177] Patton R.J., Chen J., Lopez-Toribio C.J.: Fuzzy observers for non-linear dynamic systems fault diagnosis. *Proc. on the 37th IEEE Conf. CDC*, Tampa, Florida USA, 1998, pp. 84-89.

- [178] Patton R.J., Uppal F.J., Lopez-Toribio C.J.: Soft Computing Approaches to Fault Diagnosis for Dynamic Systems: A Survey. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 298-311.
- [179] Pedrycz W.: Fuzzy Control and Fuzzy Systems. Second, *Extended Edition*. John Wiley & Sons Inc, 1993.
- [180] Pedrycz W.: Conditional fuzzy clustering in the design of radial basis function neural networks. *IEEE Trans. on Neural Networks*, Vol. 9, 1998, pp.601-612.
- [181] Pedrycz W., Sosnowski Z.A.: Designing Decision Trees with the Use of Fuzzy Granulation. *IEEE Trans. on Systems, Man and Cybernetics-Part A: Systems and Humans*, Vol. 30, No. 2, March 2000, pp. 151-159.
- [182] Pieczyński A.: System ekspertowy z detektorami neuronowymi i logiką rozmytą. *Mat. Konf. VI Krajowa Konferencja Automatyzacja Systemów Sterowania*, 15-17 październik, 1997, Gdynia, ss. 386-393.
- [183] Pieczyński A.: An expert system with fuzzy knowledge base, - *Proc. 3rd. Int. Conf. New Trends in Automation of Energetic Processes'98*, May 19-20, Zlin, Czech Republic, 1998, pp. 374-378.
- [184] Pieczyński A.: Integrated neural network and fuzzy knowledge base system for fault detection and isolation in steam power plant, - *Proc. of the Fifth Int. Symp. on Methods and Models in Automation and Robotics, MMAR'98*, August 25-29, Miedzydroje, 1998, pp. 707-712.
- [185] Pieczyński A.: Diagnostyka obiektów przemysłowych z rozmytą bazą wiedzy. *Mat. Konf. III Krajowa Konferencja Naukowo-Techniczna Diagnostyka Procesów Przemysłowych*, 7-10 wrzesień, 1998, Jurata k/Gdańska, ss. 125-130.
- [186] Pieczyński A.: The application of the fuzzy neural detectors and fuzzy rule base for diagnostic process. *Proc. 6th. Zittau Fuzzy -Colloquium*, September 3-4, 1998, pp. 147-152.
- [187] Pieczyński A.: Zastosowanie modeli rozmytych w diagnozowaniu procesu spalania w zespole kocioł-turbina. *IV Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Kazimierz Dolny, wrzesień 1999, ss.163-166.
- [188] Pieczyński A.: Komputerowe Systemy Diagnostyczne Procesów Przemysłowych, - *Monografia, Wydawnictwo Politechniki Zielonogórskiej*, Zielona Góra, 1999.
- [189] Pieczyński A.: Fuzzy modeling of multidimensional non-linear process - Influence of membership function shape. - *Proc. 8th East West Zittau Fuzzy Colloquium*, Zittau, Germany, Sept. 6-8, 2000, pp. 125-133.

- [190] Pieczyński A.: Fuzzy modelling of multidimensional non-linear processes - tuning algorithms, - *Proc. 9th East West Zittau Fuzzy Colloquium*, Zittau, Germany, Sept. 16-19, 2001, pp.94-104.
- [191] Pieczyński A.: Fuzzy modelling of multidimensional non-linear processes - structures and parameters, - *Proc. of the 7th IEEE International Conf. on Methods and Models in Automation and Robotics - MMAR 2001*, August 28-31, Międzyzdroje, 2001, pp. 527-532.
- [192] Pieczyński A.: Rozmyty klasyfikator w diagnostyce obiektów przemysłowych, - *Mat. V Krajowej konferencji naukowo-technicznej "Diagnostyka Procesów Przemysłowych DPP'01*, Łągów Lubuski, wrzesień 16-19, 2001, s. 185-188.
- [193] Pieczyński A.: Jakość diagnozowania w układzie z rozmytym systemem ekspertowym - *XIV Krajowa Konferencja Automatyki KKA'02*, Zielona Góra, czerwiec 2002, T. 1, ss. 601-604.
- [194] Pieczyński A.: Fuzzy modelling of multidimensional nonlinear processes - tuning procedures - *Proc. 8th IEEE Int. Conf., Methods and Models in Automation and Robotics - MMAR 2002*, Szczecin, Poland, Sept. 2002, Vol. 1, pp. 667-672.
- [195] Pieczyński A.: Modelowanie rozmyte - struktury i parametry. - *Studia z Automatyki i Informatyki*, (przyjęty do druku).
- [196] Pieczyński A., Marczevska G.: An expert system for non-linear model of power plant. *Proc. of the First Int. Symp. on Mathematical Models in Automation and Robotics*, Międzyzdroje, Poland, 1994, pp. 278-283.
- [197] Pieczyński A., Korbicz J.: A complex expert system for the power plant. *Prep. of the 2nd. Int. Conf. on Control of Power Systems '96*, Bratislava, Slovakia, 1996, vol. 2, pp. 404-408
- [198] Pieczyński A., Korbicz J.: System ekspertowy dla symulatora elektrowni cieplnej. *Mat. I Krajowa Konf. Naukowo-Techniczna "Diagnostyka Procesów Przemysłowych"*, Podkowa Leśna k/Warszawy, czerwiec, 1996, ss. 97-100.
- [199] Pieczyński A., Korbicz J.: Zastosowanie agregacji operacji na rozmytych sygnałach obiektowych w detekcji uszkodzeń. *Mat. Konf. II Krajowa Konferencja Naukowo-Techniczna Diagnostyka Procesów Przemysłowych*, 8-11 wrzesień, 1997, Łągów Lubuski, ss. 93-98.
- [200] Pieczyński A., Kästner W., Hampel R.: Fuzzy modelling of multidimensional non-linear processes - design and analysis of structures, - *Proc. of 7th Zittau Colloquium*, September 8-10, Zittau, Germany, 1999, pp. 85-101.

- [201] Pieczyński A., Kästner W.: Fuzzy modeling of multidimensional non-linear process - design and analysis of structures, - In: *Hampel R., Wagenknecht M. and Chaker N. (Eds.) Advances in Soft Computing - Fuzzy Control, Theory and Practice*. Physica-Verlag. - Heidelberg: Springer-Verlag Company, 2000, pp. 376-386.
- [202] Piegat A.: Modelowanie i sterowanie rozmyte. - *Akademicka Oficyna Wydawnicza EXIT*, Warszawa, 1999.
- [203] Poe V., Klauer P., Brobst S.: Tworzenie hurtowni danych, wspomaganie podejmowania decyzji, *WNT*, Warszawa, 2000.
- [204] Pokorny M., Holusa M.: Parameter identification of the fuzzy clusters membership grade functions. *Proc. IEEE*, 1998, pp. 2138-2143.
- [205] Potter J.E., Suman M.C.: Thresholdless redundancy management with arrays of skewed instruments. *Integrity in Electronics Flight Control Systems*, 1977, AGARDograph-224, 15-1 to 15-25.
- [206] Quinlan J.R.: C4.5 Programs for Machine Learning. *Morgan Kaufmann, San Mateo*, CA, 1993.
- [207] Rago C., Prasanth R., Mehra R.K., Fortenbaugh R.: Failure detection and identification and fault tolerant control using the IMM-KF with application to the eagle-eye UAV. *Proc. on the 37th IEEE Conf. CDC*, Tampa, Florida USA, 1998, pp. 4208-4213.
- [208] Ritov Y.: Decision theoretic optimality of the CUSUM procedure. *Annals Sattistical*, 1990, Vol. 18, No. 3, pp. 1464-1469.
- [209] Romagnoli J.A., Stephanopoulos G.: Rectification of process measurement data in the presence of gross errors. *Chem. Eng. Science*, 36, 1981, pp. 1849-1863.
- [210] Rutkowska D.: Inteligentne systemy obliczeniowe, Algorytmy genetyczne i sieci neuronowe w systemach rozmytych. - *Akademicka Oficyna Wydawnicza*, Warszawa, 1997.
- [211] Rutkowska D., Piliński M., Rutkowski L.: Sieci neuronowe, algorytmy genetyczne i zbiory rozmyte, - *Wydawnictwo Naukowe PWN*, Warszawa, 1999.
- [212] Sata T., Takata S., Sato M., Suzuki K.: Monitoring and diagnosis systems of machine tools. Information control problems in manufacturing technology. *Proc. of the 2nd IFAC/IFIP Symp.* Stuttgart, Germany, Oxford, England, Pergamon, 1979.
- [213] Shahian B., Haussul M.: Control System Design Using MATLAB. *Prentice Hall Inc. New Jersey*, 1993.

- [214] Shin C.K., Yu S.J., Yun U.T., Kim H.K.: A hybrid approach of neural network and memory based learning to data mining. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.637-646.
- [215] Shiryaev A.N.: The problem of the most rapid detection of a disturbance in a stationary process. *Soviet Math. Dokl.*, 1961, No. 2, pp.795-799.
- [216] Setnes M., Kaymak U.: Fuzzy modeling of client preference from large data sets: An application to target selection in direct marketing, - *IEEE Trans. on Fuzzy Systems*, Vol. 9, No. 1, February 2001, pp. 153-163.
- [217] Soliman A., Rizzoni G., Kim Y. W.: Diagnosis of automotive emission control system using fuzzy inference. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 2, pp. 726-730.
- [218] Staroswiecki M., Cassar J.P., Cocquempot V.: Generation of optimal structured residuals in the parity space. *Proc. IFAC 12th World Congress*, 1993, Vol. 5, pp. 535-542.
- [219] Staroswiecki M., Guerchouh D.: Fault Detection and Isolation in the Monitoring of Inequality Constraints. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 162-167.
- [220] Sugeno M. And Yasukawa T.: A fuzzy-logic-based approach to qualitative modelling. *IEEE Trans. On Fuzzy Systems 1*, 1993, pp. 7-31.
- [221] Sutton R., Pearson A., Tiano A.: A Fuzzy Tolerant Control Scheme for an Autonomous Underwater Vehicle, - *Proc. of the 7th IEEE International Conf. on Methods and Models in Automation and Robotics - MMAR 2001*, August 28-31, Międzyzdroje, 2001, pp. 595-601.
- [222] Syfert M., Nowak J.: Diagnostic of Evaporator in Sugar Factory Based on Fuzzy Models. *4th IFAC Symp. on Fault Detection Supervision and Safety for Technical Processes*, 14-16 June 2000, Vol. 1, pp. 331-336.
- [223] Szkaradnik Z.: ASIX - polski akcent na rynku. *PAK Nr 3*, 1998, ss. 73-79.
- [224] Thang T., Chen Y., Li J.: A New Fault-Tolerant Control Scheme Based on Hybrid Neural Networks, - *Proc. of the 7th IEEE International Conf. on Methods and Models in Automation and Robotics - MMAR 2001*, August 28-31, Międzyzdroje, 2001, pp. 625-631.
- [225] Thang T., Zhu Y., Chen B., Lin R.: A fuzzy and neural network integrated intelligence approach for fault diagnosing and monitoring. *Proc. UKACC Int. Conf. On CONTROL'98*, 1-4 Sept., 1998, pp.975-980.

- [226] Tsuge Y., Ikeda K., Shibata B., Matsuyama H.: Hierarchical faults diagnosis system utilising the signed directed graph and the extended Kalman filter. *Prep. IFAC/IMAC Symp. "Fault detection, Supervision and Safety for Technical Processes SAFEPROCESS'91"*, Baden-Baden, Germany, 1991, Vol. 1, pp. 153-158.
- [227] Tzafestas S. G.: Second generation diagnostic expert systems: requirements, architectures and prospects. *Prep. Symp. IFAC/IMACS: "Fault Detection, Supervision and Safety for Technical Processes" - SAFEPROCESS'91*. Baden-Baden, Sept. 10-13, 1991, Vol. 2, pp. 1-37.
- [228] Tzafestas S., Anthopoulos Y., Kyriannakis E.: Neural fault detection and accommodation for interconnected power systems. *Proc. of IFAC Sym. on "Fault Detection, Supervision and Safety for Technical Processes", SAFEPROCESS'97*, Hull UK, August, 1997, Vol. 2, pp. 956-960.
- [229] Uhl T.: Współczesne rozwiązania systemów monitorowania stanu maszyn, - *Mat. V Krajowej konferencji naukowo-technicznej "Diagnostyka Procesów Przemysłowych DPP'01*, Łągow k. Zielonej Góry, wrzesień 16-19, 2001, s. 23-30.
- [230] Ulieru M.: Diagnosis by appropriate reasoning on dynamic fuzzy trees. FUZZ IEEE'94, *Third IEEE Int. Conf. on Fuzzy Systems*, Orlando, Florida, USA, 1994.
- [231] Vega P., Zarrop B., Fuente M.J.: Fault detection and diagnosis in an evaporation station. ECC'93, *Proc. European Control Conf.* June 28-July 1, 1993, Groningen, The Netherlands. pp. 1342-1347.
- [232] Vesanto J., Alhoniemi E.: Clustering of the self-organizing map. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.586-600.
- [233] Viswanadham N., Taylor J.H., Luce E.C.: A frequency domain approach to failure detection and isolation with application to GE-21 turbine engine control system. *Control - Theory and Advanced Technology*, 1987, Vol. 3, pp. 45-72.
- [234] Wald A.: *Sequential Analysis*. Wiley, New York, 1947.
- [235] Walker B.K., Kuang-Yang Huang: FDI by extended Kalman filter parameter estimation for an industrial actuator benchmark. *Control Engineering Practice*, 1995, Vol. 3, No. 12, pp. 1769-1774.
- [236] Wang Y., Luo L., Freedman M.T., Kung S.Y.: Probabilistic principal component subspace: A hierarchical finite mixture model for data visualization. *IEEE Trans. Neural Networks*, May 2000, Vol. 11, No. 3, pp. 625-636.

- [237] Williams G., Hegland M., Roberts S.: A Data Mining Tutorial. *Second IASTED Int. Conf. on Parallel and Distributed Computing and Networks (PDCN'98)*, 1998.
- [238] Wiśniewski W.: Diagnostyka techniczna wytwórczych urządzeń energetycznych w elektrowniach. *PWN, Warszawa*, 1991.
- [239] Wit R.: Metody programowania nieliniowego, *WNT, Warszawa*, 1986.
- [240] Witczak M., Korbicz J.: Genetic programming based observers for nonlinear systems. *Prep. IFAC Symp. Fault Detection, Supervision and Safety of Technical Processes, SAFEPROCESS'00*, Budapeszt, Węgry, 2000, Vol.2, pp.967-972.
- [241] Wyleżoł M.: Metody pozyskiwania procedur i relacji diagnostycznych od specjalistów w dziedzinie eksploatacji maszyn. *Zeszyty Politechniki Śląskiej*, zeszyt 115, Gliwice 2000.
- [242] Wyleżoł M.: Metody pozyskiwania wiedzy diagnostycznej od specjalistów. *V Krajowa Konf. Naukowo-Techniczna. Diagnostyka Procesów Przemysłowych*, Łagów k. Zielonej Góry, wrzesień 2001, ss. 233-236.
- [243] Yager R.R., Filev D.P.: Podstawy modelowania i sterowania rozmytego, - *J. Wiley & Sons. Inc.* 1994.
- [244] Yan L., Miller D.J.: General statistical inference for discrete and mixed spaces by an approximate application of the maximum entropy principle. *IEEE Trans. Neural Networks*, May 2000, vol.11, no.3, pp.558-573.
- [245] Yoshimura T., Watanabe K., Konishi K., Soeda T.: A sequential failure detection approach and the identification of failure parameters. *Int. J. System Sci.*, 1979, Vol.10, No.7, pp.827-836.
- [246] Zadeh L.A.: Fuzzy sets, - *Information and Control* 8, 1965, pp.338-353.
- [247] Zadeh L.A.: Fuzzy probabilities and their role in decision analysis. *Proc. IFAC Symp. on Theory and Application of Digital Control*, January 5-7, 1982, New Delhi, India, Vol. 1, pp. 5-11.
- [248] Zembowicz R., Żytkow J.M.: From Contingency Tables to Various Forms of Knowledge in Databases. U.Fayyad, G. Piatetsky-Shapiro, P. Smyth and R. Uthurusamy (Eds), *Advances in Knowledge Discovery and Data Mining, AAAI Press*, 1996.
- [249] Zhang Y.Q., Fraser M.D., Gagliano R.A., Kandel A.: Granular neural networks for numerical-linguistic data fusion and knowledge discovery. *IEEE Trans. Neural Networks*, May 2000, Vol. 11, No. 3, pp. 658-667.

-
- [250] Zhu C., Paul F.W.: A Fourier series neural network and its application to system identification. *Trans. ASME J. Dynamic Systems, Measurement and Control*, 1995, Vol. 117, pp.253-261.
- [251] Ziarko W., Shan N.: Database Mining Using Rough Sets. *Computer Science Department, University of Regina, Canada, Saskatchewan*, 1996.
- [252] Żurada J., Barski M., Jędruch W.: Sztuczne sieci neuronowe. *PWN, Warszawa*, 1996.
- [253] Żytkow J.M., Zembowicz R.: Database exploration in search of regularities. *Journal of Intelligent Information Systems*, 2, 1993, pp. 39-81.
- [254] Żytkow J.M.: Rule generation from neural networks. *IEEE Trans. Syst. Man. Cybern.*, 1994, vol.24, no.8, pp.1114-1124.